

CLIGHT

MODEL #	DESCRIPTION	
944KIT	SUPER SEAL HVACR	SUPER SEAL ADVANCED™, now with DRY R™ to eliminate moisture, is a faster and compressor-friendly method of permanently sealing and preventing leaks in A/C and refrigeration systems. DRY R™ boosts sealant performance, increases drier efficiency, while preventing waxing and acid formation.
972KIT	CLIGHT SUPER SEAL TOTAL 2	SUPER SEAL TOTAL™ is a faster and compressor-friendly method of permanently sealing leaks in A/C and refrigeration systems. DRY R™ eliminates moisture, boosts sealant performance, and increases drier efficiency, while preventing waxing and acid formation. FLASH™ UV dye instantly distributes to detect all system leaks.
980	CLIGHT FLASH UNIVERSAL DYE	FLASH™ is an advanced class of UV dye that distributes cleanly and instantaneously into all systems. FLASH™ uses DRY R™ instead of POE oil as its carrier – keeping the dye stable and preventing it from crystallizing with moisture.



DIVERSITECH

MODEL #	DESCRIPTION	
333	FOMOFIL 12 OZ.(P10002 HANDI FOAM)	Handi-Foam® Sealants are designed to seal and fill small cracks, gaps and voids. Handi-Foam sealants can be applied with a straw applicator, a professional dispensing unit or a professional hose kit (for use with cylinders). Handi-Foam Sealants are available in a variety of sizes to meet many application needs. This results in less waste on small jobs while having an economic impact on large jobs.
CMD21A	SWEAT FREE PIPE INSULATION 770 15 15 OZ.	Sweat-Free is an aerosol spray-on insulation specifically developed for cold water pipes, refrigeration and air conditioning lines. Stops sweating and dripping problems. Dries to a clean, white, flexible and water-resistant coating. Adheres to galvanized, black iron, steel, brass, copper and PVC piping.
PCA	PAN PATCH	DiversiTech® Drain Pan Patch - Epoxy Sealant - Self-Leveling Formula Will Provide A Smooth And Even Coating - Works Even In Standing Water To Provide A Permanent Bond
15026	PAINT FLAT WHITE(78982)	
CMD18A	FILTER SPRAY 14 OZ.	



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

MAINSTREAM ENGINEERING

MODEL #	DESCRIPTION	
QT2000	ACID TEST KIT	Tests for acid in two seconds on operating systems Provides an early warning of acid problems without the need to remove oil Meets EPA Venting Regulations Tests to 1 ppm of acid content Yellow to Red color change if inorganic acid is detected Compatible with all refrigerants and oils Made in the U.S.A.
QT2500	ACID REMOVAL , 4 TREATMENTS/BOX	Works with all refrigerants, oils, and filter-driers on operating systems Removes acid in systems without leaving any residue or contaminants Advanced technology — uses no harmful neutralization reactions Four treatments per box; each treatment handles up to a 3-ton unit Tested to ASHRAE Standards 97-1989 and 86-1994 OEM approved Patented formulation (#5,770,048) Made in the U.S.A.
QT2510	0.5 OZ. QWICKINJECTOR LIQUID INJECTOR	Designed to introduce 1/2 oz. QwikShot® acid treatment or other liquids without having to break down system Rugged — uses a heavy aluminum construction Works with a standard manifold gauge Patented design (#5,996,651) Includes one free 1/2 oz. treatment of Acid Flush™ Made in the U.S.A.
QT2511	4.0 OZ. QWICKINJECTOR LIQUID INJECTOR	



MARS

MODEL #	DESCRIPTION	
15016	PAINT WHITE GLOSS(78981)	Plasti-kote® industrial all purpose enamel is abrasion and corrosion resistant.This spray enamel features an adjustable fan spray valve. Fights rust and will not fade. One can covers 25 to 28 sq.ft. Can be used to identify refrigerant in cylinders.
16016	PAINT GLOSS BLACK(78983)	
16026	PAINT FLAT BLACK(78984)	
78985	MACHINERY LIGHT GRAY PAINT (78985)	
78986	SPRAY PAINT ROYAL BLUE	
CO1	OILER ZOOM SPOUT 93240	Used by virtually every mechanic and technician in the heating, ventilation, air conditioning and refrigeration field. Contains 4 oz. highest quality turbine oil • Rust and oxidation inhibited • Paraffin base...non-gumming • Use on motor bearings and bushings • Squeeze bottle action • Spout extends to 14", wipes dry • SAE10 weight • Non detergent



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

NU-CALGON

Nu-Calgon markets and distributes a complete line of specialty chemical products for the air conditioning, refrigeration aftermarket as well as the plumbing, heating and food service/restaurant supply markets. These include coil cleaners, descalers, and refrigeration oils as well as products for water treatment, ice machine maintenance, and other specialty applications.

PENETROIL

MODEL # DESCRIPTION

AK13	13-OZ AEROKROIL PENETRATING LUBRICANT (AK12)	Spray-on AeroKroil® Penetrating Oil to loosen "frozen" metal parts Stubborn rusted hardware is no match for AeroKroil Penetrating Oil! It's the best way to "unfreeze" stubborn rusted hardware and fasteners. Quickly loosens rusted nuts and bolts <ul style="list-style-type: none"> • Frees frozen shafts, pulleys, etc. • Dissolves rust, lubricates, cleans and prevents future rust
------	--	--



GAS LEAK DETECTOR

MODEL # DESCRIPTION

418053	GAS LEAK DETECTOR 6 OZ. BOTTLE BUBBLES	Gas Leak Detector is a straw-colored liquid with a Brookfield viscosity of 120 cps at 26°C. It is a synergistic formulation that produces a viscous film, detecting refrigerant leaks as small as 1/2 ounce per year. It is non-corrosive, non-ingurous, non-staining and harmless to skin.
418208	GAS LEAK DETECTOR CAL-BLUE GALLON BOTTLE BUBBLE	One of the most important tasks of today's technician is refrigerant management, and specifically leak detection. For this job, the technician requires a quality, effective leak detector, and Cal-Blue Plus meets that need. Cal-Blue Plus has outstanding freeze-protection down to 5°F (and up to 225°F).
418224	GAS LEAK DETECTOR CAL-BLUE QT. BOTTLE BUBBLE	
418424	GAS LEAK DETECTOR, FLOURESCENT QT. BOTTLE	Fluorescent Gas Leak Detector is a complete product. Not only does it detect the smallest leak, it also provides other significant features and benefits. It's high viscosity formula enables it to remain in contact with the applied surface for an extended period of time, thereby allowing the smallest of leaks to be detected.



PLUMBING PRODUCTS

MODEL # DESCRIPTION

416524	DRAIN-SOLVE 1QT	Ideal for condensate pan drains. Drain Solve saves time and money with its ease of use. It eliminates application concerns associated with more reactive, fuming drain openers. Simply pour it down the drain and let it work without fear of noxious fumes or reactions. Does not contain sulfuric acid.
416508	DRAIN-SOLVE 1GAL	
413408	CALCI-SOLVE 1GAL	Remove scale from lines and clear clogged drains easily and effectively with Calci-Solve. The product includes a special inhibitor that coats the inside of the pipes with a protective film, allowing the acid in Calci-Solve to quickly dissolve calcium, magnesium, sodium, lime, rust, and other elements without harming pipes.
413424	CALCI-SOLVE 1QT	
438701	VITAL-FLO TANKLESS WATER HEATER DES- CALER KIT	The Vital Flo Tankless Water Heater Descaler Kit is a complete service tool for descaling tankless water heaters. It consists of a submersible descaler pump, a set of five foot 3/4" female hose threaded assemblies, 8 fluid ounces of formulated descaler solution packaged in a lidded four gallon chemical resistant container. The pump and hose assemblies in the kit are designed for repeated use for ongoing descaling requirements. The lid on the canister has a port that allows the hose assemblies and electrical cord to be feed through the lid while the lid is fastened to the canister. This feature provides added safety during the descaling process in a residential, commercial or industrial location.
438702	VITAL-FLO DESCALER SOLUTION (NSF LISTED)	



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

NU-CALGON

AEROSOL PRODUCTS

MODEL #	DESCRIPTION	
408403	AEROSOL, FOOD GRADE SILICONE	This ultra fast drying silicone spray is formulated specifically for the needs of the ice machine and food industries. This medium viscosity formula provides light lubrication for ice machines, coin slots, guides, belts, slicing machines, ovens, mixers, grinders and other processing equipment. This product is ideal for use as a lubricant with incidental food contact when used in compliance with 21 CFR 178.3570.
408004	AEROSOL ADHESIVE 11 OZ CAN	This advanced formula mist spray adhesive is the one true all purpose adhesive. This unique product utilizes an advanced rubber system to create a product versatile enough for everything from light to heavy duty jobs. Applications for this product can be found throughout general industry for bonding fabric, plastics, felt, cork, paper, corrugated, wood, most metals, and a variety of other materials.
408175	AEROSOL CALCLEAN 20 OZ CAN	A heavy duty detergent containing surfactants, grease solvents, alkaline cleaners, corrosion inhibitors and water conditioners. Ideal for cleaning window units as well as small evaporator coils, air cooled condenser coils, metal filters, fan blades, walk-ins, reach-ins, coolers, freezers, microchannels, A/C systems, and other surfaces soiled with greasy dust and dirt. When used as directed, CalClean will not corrode any metal.
408203	AEROSOL, ELECTRIC CONTACT CLEANER	Electrical Contact Cleaner cleans, lubricates, and protects electrical contacts from corrosion, and is safe on most plastics. Cleaning action quickly removes greases, dust, and oxidation, restores and maintains precision and efficiency to the instrument and component. Includes extension tube for pinpointing application. USDA Approved.
408375	AEROSOL, DEGREASER SOLVENT	This highly active solvent blend provides maximum performance in a degreasing solvent without the use of ozone depleters or chlorinated solvents. Powerful blasting spray removes grease, oily dirt and contaminants. This special formula is also suitable for cleaning equipment, tools plus parts and meets or exceeds current OTC VOC requirements.
408603	AEROSOL, V-BELT DRESSING	Especially formulated for V-Belt applications. Formula contains neither asphalt nor rosin. Will not glaze, will not collect dirt - actually cleans belts of accumulations. Ideal for wet, outdoor conditions. Can also be used for leather, rubber, canvas and other fabric belts—flat or round. Perfect for all industrial belt drives.
413220	CAL-BLAST CONDENSOR COIL CLEANER	Cal-Blast is a high performance aerosol with excellent solvency and blasting spray, to powerfully separate undesirable materials from the surface, offering maximum cleaning of finned coils.



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

NU-CALGON

AEROSOL PRODUCTS

MODEL #	DESCRIPTION	
429075	NU-BLAST, AEROSOL 18 OZ.	A "no rinse required" condenser coil cleaner in a convenient aerosol package. Double action of high pressure blast and solvent cleaning restores design efficiency of condenser coils quickly and easily. It is non-flammable and non-conductive with no rinse required, as the cleaning solvent evaporates completely.
429275	NU-KILL II, WASP & HORNET AEROSOL	Nu-Kill II doesn't just make wasps mad, it kills them! It is formulated with both tetramethrin and permethrin for instant kill and it provides residual kill as insects return to the nest. It does not contain any CFC's and it has a very high dielectric strength.
417175	AEROSOL, EVAP FOAM-NO RINSE COIL CLEANER	Evap Foam "no rinse" is a high performance, heavy duty detergent, specifically formulated with special surfactants and alkaline cleaners that have been developed into a foaming, no-rinse product. The aerosol product can be sprayed either right side up or upside down, and is ideal for use on most coils, but particularly suited for cooling or evaporator coils
429650	PAN SPRAY NU CALGON	Pan-Spray is an effective, easy-to-use water proof rubberized coating that won't chip, flake, or peel. It's ideal for sealing out rust and corrosion as well as repairing leaky condensate pans, cooling towers, swamp coolers, roofing, gutters, and down spouts. Pan Spray is the perfect solution for emergency and permanent repair.



WATER FILTRATION MAINTENANCE

MODEL #	DESCRIPTION	
428734	NICKEL SAFE ICE MACHINE CLEANER 16 OZ.	Nickel-Safe Ice Machine Cleaner is a specially formulated citric/phosphoric food-grade product for removing scale deposits from ice makers having nickel-plated or tin-plated evaporators. It is acceptable for use in machines made by Manitowoc and other manufacturers using nickel. In fact, it was the industry's first nickel-safe product, introduced in collaboration with Manitowoc. Usage rate should be in accordance with the manufacturers instructions or 16 fluid ounces with three gallons of system water.
428708	NICKEL SAFE ICE MACHINE CLEANER GALLON	



WATER TREATMENT

MODEL #	DESCRIPTION	
433008	SCALE DESOLVER FOR COOLING TOWERS CALGON - SPECIAL ORDER	Liquid Scale Dissolver line-up is the industry's most trusted solution for descaling and cleaning cooling tower. It provides unmatched features such as a built-in pH color indicator, superior low foam characteristics in a fast-action cleaner. This specialized chemistry is packaged in a variety of sizes—including our exclusive new 2.5 gallon bottle to make handling easier – and safer in climbing circumstances.
416708	ECO-LYME ENVIROMENTALLY FRIENDLY DESCALER	Eco-Lyme is a new odorless chemistry for the HVAC/R market that provides a unique blend of performance and safety to the environment and user. The product is specially formulated to achieve descaling behavior of competing hydrochloric acid based descalers. However, the active ingredient is substantially safer on equipment metals. Eco-Lyme is ideal for stainless steel construction - eliminates the issue of localized corrosion/pitting caused by repeated use of hydrochloric acid.



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

NU-CALGON

COIL CLEANERS & SPRAYERS

MODEL #	DESCRIPTION	
413308	CAL-BRITE GALLON BOTTLE PINK COIL CLEANER	Cal-Brite is a low-pH or acid-based product developed for cleaning evaporator coils, air-cooled condensers and other finned cooling and heating coils. It is based upon glycolic acid and ammonium bifluoride. The activity between the glycolic acid and the ammonium bifluoride produces a synergistic cleaning effect, resulting in a clean, brightened coil but with the utmost in safety to the applicator and the job site as compared to HF-based products.
414832	CAL-SHIELD WITH TEFLON QUART BOTTLE	Cal-Shield is a synergistic liquid formulation based upon DuPont's Teflon® fluoro-additives. It is specifically designed for application on air-cooled condensers, evaporator coils and other finned heating and cooling coils where it forms a micro-thin or molecular film of Teflon. Once applied, Cal-Shield will shield and protect the coil from adverse conditions within the operating environment.
416608	EVAP FRESH COIL CLEANER	Evap-Fresh is a ready-to-use, non-abrasive, one-step cleaner and disinfectant for evaporator coils in small air conditioners, commercial air handling equipment, HVAC cooling coils and refrigeration equipment. It is the first product of its kind in the industry to receive EPA registration for such claims.
416805	EVAP POWR-C 2 1/2 GALLON GREEN CLEANER	Nu-Calgon has developed the Green Select products with all natural ingredients derived from vegetable esters and other eco-friendly resources. All of the Green Select products have been tested extensively to ensure the highest level of performance while utilizing "green" ingredients. In addition, the products are biodegradable and will not harm plants, animals, and aquatic life. More importantly, we use only natural and renewable resources that are on the EPA's Designed for the Environment list of acceptable "green" ingredients.
429108	NU-BRITE BLUE COND COIL CLEANER (USDA APPROVED)	A non-acid, alkaline-based product for cleaning and brightening air cooled condensers. It is formulated with the best available foaming detergents and chelants to quickly penetrate and dissolve greasy dirt and grime and foam it right out of the coil. The safer alternative to acids.
417805	FOAM BRITE 2 1/2 GALLON COIL CLEANER GOLD	Foam-Brite's foaming power is incredible. It is a non-acidic, alkaline-based cleaner and brightener containing the best available biodegradable ingredients and a unique chelant/surfactant package to quickly penetrate and remove greasy soils and oxidation. Its high foaming formula helps lift greasy soils out of the coil, leaving finned coils clean and bright. It can be used to replace the more dangerous HF acid-based products for condenser coil cleaning because Foam-Brite does not contain any acids.
417808	FOAM BRITE GALLON COIL CLEANER GOLD	
412008	ALKA-BRITE COIL CLEANER BROWN	A non-acid, alkaline-based product for brightening and cleaning air-cooled condensers. It contains the best available detergents and surfactants to quickly penetrate and remove greasy soils and oxidation and its foaming helps lift greasy soils out of the coil, leaving equipment clean and bright.



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

NU-CALGON

COIL CLEANERS & SPRAYERS

MODEL # DESCRIPTION

418624 GREEN CLEAN QT. BOTTLE

Green Clean® is a pleasantly scented, concentrated environmentally friendly, all-purpose cleaner designed for the rapid removal of grime and other heavy soils. It instantly penetrates greasy and oily surfaces, providing powerful emulsifying ingredients that chemically soften and dissolve the deposits, making them easy to remove. A safer, effective, alternative to toxic cleaners, bleaches and solvents! Green Clean is formulated with powerful ingredients on the EPA's Designed For Environment list of acceptable "green" materials.



47713 SPRAYER NO 220CP

The No. 200P sprayer can be used for spraying solutions of CalClean®, Special HD CalClean®, Alka-Brite®, Nu-Brite®, Evap Pow'r-C® or other Nu-Calgon products on air conditioning cooling coils, air cooled condensers, finned heating coils, refrigeration case or cooler coils, permanent air filters and other greasy, dirty surfaces.



47720 SPRAYER NO300P POLY

The No. 300P Poly Sprayer is constructed of high-density polyethylene. It has a funnel-top which provides easy chemical pouring and has a 3.5 gallon capacity (3 gallon working capacity). It comes with a 10" polypropylene pump, brass handle and extension tube with adjustable nozzle and five feet of wear-resistant hose.



47740 COIL GUN

For spraying coil cleaners such as Nu-Brite®, CalClean®, HD CalClean®, Alka-Brite® Plus, Tri-Pow'r® HD or any of the other quality Nu-Calgon coil cleaners for cleaning air cooled condensers, evaporator coils, etc. No pre-mixing is necessary as chemical and water are automatically blended in mixing head as you spray. Use for coil cleaning as well as in food preparation areas, wash rooms, or any situation where use of water-diluted chemicals are required.



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

NU-CALGON

SPECIALTY PRODUCTS

MODEL #	DESCRIPTION	
437132	THERMO-TRAP 1QT SPRAY	Technically, Thermo-Trap is referred to as a heat sink. This means that it has an extremely high capacity for absorbing heat. Applied to the metal working surface between the area being heated and the material to be protected, Thermo-Trap soaks up heat and reduces heat transfer. This keeps heat from spreading beyond the work area. Heat-sensitive components, installed fittings, etc., on the other side of Thermo-Trap stay cool and are not damaged by transmitted heat.
2215	ORANGE CRUSH WATERLESS HAND CLEANER	Great Wipes Industrial Strength Hand Towels are waterless wipes made specifically for the air conditioning, refrigeration, and plumbing service technician. Each premoistened, heavy duty towel has strong pumice scrubbing power that conveniently cleans anywhere and anytime.



REFRIGERATION & VP OILS

MODEL #	DESCRIPTION	
430307	C-3 REFRIGERATION OIL GALLON BOTTLE	Nu-Calgon naphthenic mineral oil is available in three grades: C-3s (150 SUS), C-4s (300 SUS) and C-5s (500 SUS). All viscosities are manufactured by Calumet Lubricant Co. and are approved by Copeland, Trane and other compressor manufacturers, approvals varying by viscosity.
430407	C-4 REFRIGERATION OIL GALLON BOTTLE	
430807	REFRIGERATION OIL ZEROL 200TD ALKLYLBENZ	Zerol Refrigeration Oil is a high-quality, premium synthetic alkylbenzene refrigeration oil. It is similar in many ways to natural mineral oils but has superior properties that make it particularly valuable in refrigeration, air-conditioning applications. It is available in three grades: Zerol 150 (150 SUS), Zerol 200TD (200 SUS) and Zerol 300 (300 SUS).
431107	REFRIGERATION OIL ZEROL 300 ALKYBENZENE	
431007	REFRIGERATION OIL ZEROL 150 ALKYBENZENE	
431466	REFRIGERATION OIL ICI RL32CF POLYOLESTER	The Emkarate family of lubricants is a wide range of polyol ester refrigeration oil products. They are designed specifically for use with HFC refrigerants, developed to meet the performance demands of the refrigeration industry. This superior performance is achieved with basefluids that are specifically formulated to deliver optimum performance with minimal additive levels.
431646	REFRIGERATION OIL ICI RL68H POLYOLESTER	
405750	ZEROL ICE RE NEW	A/C Re-New, formerly Zerol® Ice, has been used successfully for many years to improve the performance of air conditioning and refrigeration systems. A/C Re-New provides significant saving in energy use. It also quiets noisy systems and extends the life of the system. It is a lubricant that blends with the system's oil, lasting for the life of the equipment.
405752	ZEROL ICE DISPLAY PAK RE NEW	
438307	VACUUM PUMP OIL GAL	Nu-Calgon Vacuum Pump Oil is a quality blend of high-grade lubricants, providing for oil that performs at the deepest vacuum. It lubricates to minimize wear and provide surface protection, and its high viscosity index assures adequate lubrication at high and low pressures. In addition, its broad package line guarantees the right package size for all levels of service activity, from the service professional handling only an occasional evacuation to the one conducting several every day.
438324	VACUUM PUMP OIL QT	
438334	VACUUM PUMP OIL PINT 1 SHOT BOTTLES	



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

NU-CALGON

TOTAL SYSTEM PROTECTION

MODEL #	DESCRIPTION	
430009	RX11 FLUSH 1LB CAN	Rx11-flush is a unique solvent that has been engineered for flushing refrigeration and air conditioning systems. Its patented HFC based solvent formulation is powerful enough to flush away sludge, carbon residue, oils, acids, water and other particulate. This makes it ideal for system flushing after burnouts, retrofits and for flushing line sets for R-410A conversions. It is non-toxic, non-flammable and is non-ozone depleting.
430008	RX11 FLUSH STARTER KIT - 1LB CAN, GUN, HOSE, VALVE	
430010	RX11 FLUSH 2 CAN DISPLAY PACK / VALVE	
430011	RX11 FLUSH 2 LB CAN	
430089	RX11 FLUSH INJECTION TOOL	
4320WB	REFRIGERATION OIL ACID TEST KIT	The concentrate of acid in refrigeration oil is expressed as an acid number in mg of KOH per gram of oil (milligrams of potassium hydroxide per gram of oil). The acid number is a measure of the amount of hydroxide solution needed to neutralize the acid in the oil. The more acid there is in the oil, the more potassium hydroxide is needed to neutralize it and, so, the higher the acid number.
430105	RX-ACID SCAVENGER PRESSURIZED CAN	Rx-Acid Scavenger provides a better, more convenient way to neutralized or "scavenge" acid in refrigeration, air conditioning systems after burnouts or during normal on-going systems maintenance. Normal dosage rate is 2 fl. oz. of Rx-Acid Scavenger for up to one gallon of system oil. That is 50% less than other acid neutralizing products. This "low treat" feature means far less material has to be added to the systems. Rx-Acid Scavenger is formulated for use with all lubricants - mineral, alkylbenzene and polyol ester. Use after system burnout to scavenge acid products in the system, or change a system with Rx-Acid Scavenger to neutralize acid conditions should they develop.



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

SUPCO

MODEL #	DESCRIPTION	
10001	LEAK LOCK 1 1/3 OZ.	<p>A resin based soft setting brushable paste pipe joint compound resistant to all refrigerants, oils, water and most chemicals, liquids and gases.</p> <ul style="list-style-type: none"> • Use with pressures to 10,000 PSI to full vacuums. • Temperature range -200°F (-93°C) to 400°F (204°C). • It never hardens and it never becomes brittle. • Ideal for joining all metals, plastics and other materials. • Will stick to all clean surfaces. • Prevent vibration from loosening nuts, bolts, plugs and fittings. • Non Toxic • GUARANTEES A PERFECT SEAL... UNDER ALL CONDITIONS
10004A	LEAK LOCK 4OZ.	
17004	THAWZONE 4 OZ	<p>The original liquid dehydrant, frees your frozen system in minutes. It seeks out moisture and chemically bonds to it. • Enhanced moisture control in even the most advanced systems. • Aids with oil return in low temperature systems. • Compatible with all refrigerants and refrigeration lubricants. • Helps prevent the formation of acid. • Safer • No Methanol • Biodegradable, non-polluting • Environmentally Sound • Non-Poisonous</p>
MO44	RUST BUSTER-4OZ.(MARS93241)	<p>Dissolves Rust • Telescoping Pullout Spout • Loosens rust in seconds • No lingering odor • Counter Display Case</p>



UNIVERSAL TECH.

AC LEAK FREEZE

MODEL # DESCRIPTION

00280	AC LEAK FREEZE 1.5OZ CARTRIDGE	A/C Leak Freeze® features: Permanently seals leaks in air conditioning and refrigeration systems. Will continue to seal additional Leaks for up to 1 year that meet testing specifications. Does not contain polymers. Not activated by moisture or oxygen. Tested to be non-clogging to a/c compressor and recovery unit. Ideal for preventive maintenance and leak protection.
00284	AC LEAK FREEZE 1.5OZ KIT WITH ADAPTOR	
00292	AC LEAK FREEZE HOSE ADAPTOR	



00282	AC LEAK FREEZ W/ MAGIC FROST 1.5OZ CARTRIDGE	A/C Leak Freeze® with Magic Frost features: Permanently seals leaks in air conditioning and refrigeration systems. Will continue to seal additional Leaks for up to 1 year that meet testing specifications. Does not contain polymers. Not activated by moisture or oxygen. Tested to be non-clogging to a/c compressor and recovery unit. Ideal for preventive maintenance and leak protection.
00286	AC LEAK FREEZE W/ MAGIC FROST 1.5OZ KIT W/ ADAPTOR	



MISC.

STUTTON

MODEL # DESCRIPTION

JS685	SURFACE FIRE ANT KILLER JS-685	JS 685 is the only insecticide designed to protect electrical equipment from fire ants. It enables professional contractors and equipment owners to kill fire ants immediately, and leaves a residual powder barrier that keeps them away for 7 months.
-------	--------------------------------	---



RESOURCE CONSERVATION TECHNOLOGIES

MODEL # DESCRIPTION

VOPH	OIL PUMP 1-GAL	Mounts on 1- and 5-gal. containers of refrigeration oil to pump directly into compressors. Max. pressure: 250 psi.
------	----------------	--



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885