

DUCCANE

14 SEER CONDENSING UNITS

Uses R410a refrigerant- A chlorine-free, high performance refrigerant that is better for the environment. Durable compressors with internal pressure relief valves and inherent thermal protection. High-quality condenser coil with copper tubing and enhanced louvered fin for maximum heat transfer capacity. Top discharge directs hot air away from living area and shrubbery. Available with louvered panel coil protection. Easy access to electrical panels, pre-wired for easy hook-up to internal components. 45-degree service valves for easy hook-up and service. Liquid line filter drier shipped loose. Charged for 15 feet of interconnecting tubing. All units UL and ULC approved and AHRI listed. Each unit is 100% factory run-tested to help ensure the highest level of reliability 10-year limited warranty on compressor and parts.



14 SEER HIGH-EFFICIENCY UNITS

4AC14L18	1 1/2 TON
4AC14L24	2 TON
4AC14L30	2 1/2 TON
4AC14L36	3 TON
4AC14L42	3 1/2 TON
4AC14L48	4 TON
4AC14L60	5 TON

16 SEER CONDENSING UNITS

High-efficiency 2 stage Copeland UltraTech scroll compressor. Uses R410a refrigerant- A chlorine-free, high performance refrigerant that is better for the environment. Grommet-mounted compressor for quiet operation. Internally protected against high temperature motor overload conditions. Heavy duty sound blanket for quiet operation. Each unit is 100% factory run-tested to help ensure the highest level of reliability 10-year limited warranty on compressor and parts.



16 SEER HIGH-EFFICIENCY UNITS

4AC16LT24	2 TON
4AC16LT36	3 TON
4AC16LT48	4 TON
4AC16LT60	5 TON

18 SEER CONDENSING UNITS

High-efficiency 2 stage Copeland UltraTech™ scroll compressor. R410a refrigerant. Grommet-mounted compressor for quiet operation. Internally protected against high temperature motor overload conditions. Heavy-duty compressor sound blanket for quiet operation. Full metal louvered panels remove for easy coil cleaning and service Controls located in corner post for easy installation and service. Rounded corners for safety and attractive, clean appearance. Baked polyester paint finish over galvanized steel for maximum durability. PVC coated wire fan discharge grill. External gauge ports for easy service. Enhanced aluminum fins and copper tubing for higher efficiency and capacity. Raised coil prevents debris from collecting in bottom of coil and causing loss of airflow. Designed for ambients up to 125°F. Service valves positioned for quick installation and easy service. Variable speed condenser fan motor with swept-wing fan blade. High and low pressure switches factory installed. Comfort Alert 2™ diagnostics is factory installed. Trade available components. Factory installed crank case heater



18 SEER HIGH-EFFICIENCY UNITS

4AC18LT24	2 TON
4AC18LT36	3 TON
4AC18LT48	4 TON
4AC18LT60	5 TON



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

DUCCANE

GAS FURNACES

DEDICATED HORIZONTAL 80% AFUE

MODEL	TONS	MOTOR SIZE	BTU INPUT
FPBB050A3B	3	1/3	50,000
FPBB075A3B	3	1/3	75,000
FPBB100A4B	4	1/2	100,000
FPBB100A5B	5	3/4	100,000
FPBB125A5B	5	3/4	125,000

80G1 SERIES MULTI-POSITION

MODEL	TONS	MOTOR SIZE	BTU INPUT
80G1UH045AP12	3	1/3	44,000
80G1UH070AP12	3	1/3	66,000
80G1UH090BP16	4	1/2	88,000
80G1UH110CP20	5	3/4	110,000

80G1 SERIES DOWNFLOW

MODEL	TONS	MOTOR SIZE	BTU INPUT
80G1DF070AP12	3	1/3	70,000
80G1DF090PB16	4	1/2	90,000
80G1DF110CP20	5	3/4	110,000

80G1 SERIES CONSTANT TORQUE

MODEL	TONS	MOTOR SIZE	BTU INPUT
80G1UH045AE12	3	1/3	44,000
80G1UH070BE12	3	1/3	70,000
80G1UH090BE16	4	1/2	90,000
80G1UH090CE20	5	3/4	90,000
80G1UH110CE20	5	3/4	110,000

80G2 SERIES 2 STAGE VARIABLE SPEED

MODEL	TONS	MOTOR SIZE	BTU INPUT
80G2UH070AV12	3	1/3	66,000
80G2UH090BV16	4	1/2	88,000
80G2UH110CV20	5	3/4	110,000

Horizontal 80™ (FPBB)

- Dedicated horizontal configuration
- 80% AFUE
- 1-1/2-to 5-tons cooling capacity
- BTU inputs available from 50,000 to 125,000. See specification sheet for details.
- Direct spark ignition system
- Lifetime limited warranty on heat exchanger and 10-year limited warranty on parts*

Value Variable Speed 80

- 80% Efficiency for lower operating costs.
- ECM™ variable speed motor provides quiet, even temperatures for greater comfort, efficiency, and humidity control.
- 2-Stage gas valve works to match home heating requirements to deliver greater comfort.

Value 80

- 80% Efficiency for lower operating costs.
- Single-stage gas valve for reliable operation.



DUCANE

HEAT PUMPS

High-quality components and advanced engineering make Ducane™ 14, 16 and 18 SEER heat pumps the contractor's choice for long-lasting heating and cooling. All models UL-, ULC- and AHRI-listed. And all include generous 10-year limited warranties on compressor and parts.*

14 SEER - HIGH EFFICIENCY UNITS

MODEL	TONS
4HP14L18	1 1/2
4HP14L24	2
4HP14L30	2 1/2
4HP14L36	3
4HP14L42	3 1/2
4HP14L48	4
4HP14L60	5

16 SEER - HIGH EFFICIENCY UNITS

MODEL	TONS
4HP16LT24	2
4HP16LT36	3
4HP16LT48	4
4HP16LT48	5

18 SEER - HIGH EFFICIENCY UNITS

MODEL	TONS
4HP18LT24	2
4HP18LT36	3
4HP18LT48	4
4HP18LT60	5



FEATURES AND BENEFITS

- R410A Refrigerant
- High-quality condenser coil with copper tubing and enhanced louvered fin for maximum heat transfer capacity
- Top discharge directs hot air and sound away from living area and shrubbery
- All units run tested
- Louvered panel coil protection
- Easy access to electrical panels, pre-wired for easy hook-up
- Bi-directional liquid line filter drier factory installed
- Discharge muffler for quiet operation
- Reliable, solid state defrost control
- Defrost control is Quiet Shift™ capable
- Low pressure switch factory installed for loss of charge protection
- Integrated control with LED diagnostics
- Short cycle protection factory installed
- Charged for 15 feet of interconnecting tubing

DUCANE

EVAPORATOR COILS

EC1P/EM1P

Cased. Upflow/Counterflow (EC1P) for application flexibility. Upflow/Horizontal (EM1P) for application flexibility. Microban® antimicrobial additive in the drain pan to resist mold and mildew growth. One of the lowest water retention drain pans in the industry to minimize mold and mildew growth. Insulated galvanized steel coil case with durable embossed finish. Interlocking door assemblies and snug line seal grommets to minimize air leakage. External cabinet mounted distributor body designed for easy changing of orifice sizes and fast TXV connections. Foil-face insulation for easy cleaning. Two dual drain connections on front of coil for installation flexibility of drain lines around furnace vent and utility connections. Side drain pan built in for easy horizontal coil installations (EM1P only). Tubing located at door split for easy coil service or coil cleaning.

13 SEER - R22 DUCANE COILS

EC1P23AM	2 TON UPFLOW COIL
EC1P36AM	3 TON UPFLOW COIL
EC1P49CM	4 TON UPFLOW COIL
EC1P62CM	5 TON UPFLOW COIL
EM1P36AM	3 TON MULTI-POSITION COIL

14-16 SEER - R410A DUCANE COILS

EC1P36BM	2 TON UPFLOW COIL
EC1P62CM	4-5 TON UPFLOW COIL
EM1P43BM	3 TON MULTI-POSITION COIL

EH1P

Cased. Dedicated horizontal. Microban® antimicrobial additive in the drain pan to resist mold and mildew growth. Drain pan has trough to fully drain condensate away. Insulated galvanized steel coil case with durable embossed finish. Top, front, and back panels are removable for easy service or coil cleaning. Dual condensate drains on front and back of coil allows flexibility of placement to accommodate left or right airflow furnaces. Foil faced insulation for easy cleaning. Refrigerant connections on top of coil for ease of installation in left or right airflow furnaces.

13 SEER - R22 DUCANE COILS

EH1P23AM	2 TON DEDICATED HORIZONTAL COIL
EH1P36BM	3 TON DEDICATED HORIZONTAL COIL
EH1P49CM	4 TON DEDICATED HORIZONTAL COIL
EH1P62CM1	5 TON DEDICATED HORIZONTAL COIL

14-16 SEER - R410A DUCANE COILS

EH1P36BM	2 TON DEDICATED HORIZONTAL COIL
EH1P62CM	5 TON DEDICATED HORIZONTAL COIL

EXPANSION VALVES

R22 EXPANSION VALVES

TXV153	1 1/2 TON - 3 TON
TXV355	3 1/2 TON - 5 TON

R410A EXPANSION VALVES

H4TXV01	1 1/2 TON - 3 TON
H4TXV02	3 1/2 TON - 4 TON
H4TXV03	5 TON



EC1P



EM1P



EH1P

DUCANE

ELECTRIC AIR HANDLERS

APPLICATION: 1 1/2 - 5 ton sizes. Upflow and horizontal (counterflow capable with kit). Sequenced for demand management. External access to heater circuit breakers

INSTALLATION: 1 Piece design for easier installation. Multi position - Upflow/Horizontal Left/Right

CABINET: Foil faced insulation. Painted, heavy-gauge galvanized cabinet. Filter rack built into every air handler. High-strength, UV- and heat-resistant plastic drain pan for corrosion resistance. Microban® antimicrobial built in to drain pan to resist mold and mildew growth and fouling of the drain. 2% or less air leakage

COMPONENTS: Efficient PSC blower motors. Standard transformer and blower relay. Field-installed 5-20 KW electric heat kits with easy plug connections. Built-in indoor time delay for increased efficiency. Sleeves on distributor tubing to protect tubing



13 SEER - DUCANE AIR HANDLER

BCS3M24C	2 TON AIR HANDLER
BCS3M36C	3 TON AIR HANDLER
BCS3M48C	4 TON AIR HANDLER
BCS3M60C	5 TON AIR HANDLER

14-16 SEER - DUCANE VARIABLE SPEED AIR HANDLERS

BCS2M24V	2 TON AIR HANDLER
BCS2M36V	3 TON AIR HANDLER
BCS2M42V	3.5 TON AIR HANDLER
BCS2M48V	4 TON AIR HANDLER
BCS2M60V	5 TON AIR HANDLER

DUCANE HEAT STRIPS

HEAT STRIPS

AEHBCC05NSA-1	5 KW HEAT STRIP
AEHBCC10NSA-1	10 KW HEAT STRIP
AEHBCC15CSA-1	15 KW HEAT STRIP
AEHBCC20CSA-1	20 KW HEAT STRIP

3 PHASE HEAT KITS

WBC1004	10KW 420-3PH
WBC1504	15KW 240V-3PH
WBC2004	20KW 240V-3PH
WBC1005A	10KW 480V-3PH
WBC1505A	15W 480V-3PH
WBC2005A	20KW 480V-3PH



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

SUMMIT

ELECTRIC AIR HANDLERS

5 YEAR COIL WARRANTY

1 YEAR PARTS WARRANTY

R22

S082413	2 TON AIR HANDLER/COIL/ 8 KW HEATER
S103613	2 1/2 - 3 TON AIR HANDLER/COIL/ 10 KW HEATER
S153613	3 TON AIR HANDLER/COIL/ 15 KW HEATER
S154813	4 TON AIR HANDLER/COIL/12 KW HEATER
S206013	5 TON AIR HANDLER/COIL/ 20 KW HEATER

R410

S0824410	2 TON AIR HANDLER/COIL/ 8KW HEATER
S1030410	2 1/2 AIR HANDLER/COIL/ 10 KW HEATER
S1536410	3 TON AIR HANDLER/COIL/ 15 KW HEATER
S1546410	4 TON AIR HANDLER/COIL/12 KW HEATER
S2060410	5 TON AIR HANDLER/COIL/ 20 KW HEATER



COILS

R22 UPFLOW COILS

CA02413	2 TON
CA03013	2 1/2 TON
CA03613	3 TON
CA04813	4 TON
CA06013	5 TON

R410 UPFLOW COILS

CA024410	2 TON
CA030410	2 1/2 TON
CA036410	3 TON
CA048410	4 TON
CA060410	5 TON

R22 DEDICATED HORIZONTAL COILS

CD02413	2 TON
CD03613	3 TON
CD04813	4 TON
CD06013	5 TON

R410 DEDICATED HORIZONTAL COILS

CD024410	2 TON
CD036410	3 TON
CD048410	4 TON
CD060410	5 TON

R22 HORIZONTAL SLAB COILS

CH02413	2 TON
CH03613	3 TON
CH04813	4 TON
CH06013	5 TON

R410 HORIZONTAL SLAB COILS

CH024410	2 TON
CH036410	3 TON
CH048410	4 TON
CH060410	5 TON

EXPANSION VALVES

R22 EXPANSION VALVE

TXV153	R22 - 1 1/2 TON - 3 TON
TXV355	R22 - 3 1/2 TON - 5 TON

R410 EXPANSION VALVE

TXV123410	R410A - 1 1/2 TON - 3 TON
TXV355410	R410A - 3 1/2 TON - 5 TON



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

DUCANE

Heating · Air-Conditioning

Ducane 14 Seer R410A

High Efficiency Electric System

Variable Speed Air Handler

10 Year Compressor - 10 Year Parts Warranty



L model

2 TON		16 SEER
4AC14L24	2 TON	14 SEER CONDENSING UNIT
BCS2M24V	2 TON	VARIABLE SPEED AIR HANDLER
ECB25-10-P	10KW	ELECTRIC HEAT KIT

2.5 TON		15.1 SEER
4AC14L30	2.5 TON	14 SEER CONDENSING UNIT
BCS2M36V	3 TON	VARIABLE SPEED AIR HANDLER
ECB25-10-P	10 KW	ELECTRIC HEAT KIT

3 TON		15.1 SEER
4AC14L36	3 TON	14 SEER CONDENSING UNIT
BCS2M36V	3 TON	VARIABLE SPEED AIR HANDLER
ECB25-10-P	10KW	ELECTRIC HEAT KIT

3.5 TON		14.5 SEER
4AC14L42	3.5 TON	14 SEER CONDENSING UNIT
BCS2M42V	3.5 TON	VARIABLE SPEED AIR HANDLER
AEHBCC15CSA-1	15 KW	ELECTRIC HEAT KIT

4 TON		15 SEER
4AC14L48	4 TON	14 SEER CONDENSING UNIT
BCS2M48V	4 TON	VARIABLE SPEED AIR HANDLER
AEHBCC15CSA-1	15 KW	ELECTRIC HEAT KIT

5 TON		14.5 SEER
4AC14L60	5 TON	14 SEER CONDENSING UNIT
BCS2M60V	5 TON	VARIABLE SPEED AIR HANDLER
AEHBCC20CSA-1	20 KW	ELECTRIC HEAT KIT



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

DUCCANE



L model

Heating · Air-Conditioning

Ducane 14 Seer R410A
High Efficiency Electric System
Standard Air Handler
10 Year Compressor
10 Year Parts Warranty

2 TON		14 SEER
4AC14L24	2 TON	14 SEER CONDENSING UNIT
BCS3M24C	2 TON	AIR HANDLER
ECB25-10-P	10KW	ELECTRIC HEAT KIT
2.5 TON		** SEE BELOW
4AC14L30	2.5 TON	14 SEER CONDENSING UNIT
BCS3M36C	3 TON	AIR HANDLER
ECB25-10-P	10 KW	ELECTRIC HEAT KIT
3 TON		14 SEER
4AC14L36	3 TON	14 SEER CONDENSING UNIT
BCS3M36C	3 TON	AIR HANDLER
ECB25-15CB-P	15 KW	ELECTRIC HEAT KIT
3.5 TON		** SEE BELOW
4AC14L42	3.5 TON	14 SEER CONDENSING UNIT
BCS3M48C	4 TON	AIR HANDLER
ECB25-15CB-P	15 KW	ELECTRIC HEAT KIT
4 TON		14 SEER
4AC14L48	4 TON	14 SEER CONDENSING UNIT
BCS3M48C	4 TON	AIR HANDLER
ECB25-15CB-P	15 KW	ELECTRIC HEAT KIT
5 TON		14 SEER
4AC14L60	5 TON	14 SEER CONDENSING UNIT
BCS3M60C	5 TON	AIR HANDLER
ECB25-20GB-P	20 KW	ELECTRIC HEAT KIT

** Requires air handler of equal tonnage to rate at 14 SEER per AHRI. Matchup accepted as serviceable for Allied extended warranty requirements.



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

DUCANE

Heating · Air-Conditioning

Ducane 16 Seer R410A

High Efficiency Gas System

Variable Speed Furnaces

10 Year Compressor - 10 Year Parts Warranty



L model

2 TON	15 SEER	AHRI # 4254049
4AC16LT24	2 TON	16 SEER CONDENSING UNIT
80G2UH070AV12	3 TON	70 K BTU VARIABLE SPEED FURNACE
E (C,M) 1P36AM	3 TON	UPFLOW/MULTI-POSITION COIL
H4TXV01		R410A EXPANSION VALVE

3 TON	16 SEER	AHRI # 4254055
4AC16LT36	3 TON	16 SEER CONDENSING UNIT
80G2UH090BV16	4 TON	90 K BTU VARIABLE SPEED FURNACE
EM1P43BM	3.5 TON	MULTI-POSITION COIL 17.5 WIDE
H4TXV01		R410A EXPANSION VALVE

4 TON	15 SEER	AHRI # 4254056
4AC16LT48	4 TON	16 SEER CONDENSING UNIT
80G2UH110CV20	5 TON	110 K BTU VARIABLE SPEED FURNACE
E (C,H) 1P62CM	5 TON	UPFLOW/HORIZONTAL COIL
H4TXV-2		R410A EXPANSION VALVE

5 TON	14.5 SEER	AHRI # 4254057
4AC16LT60	5 TON	16 SEER CONDENSING UNIT
80G2UH110CV20	5 TON	110 K BTU VARIABLE SPEED FURNACE
E (C,H) 1P62CM	5 TON	UPFLOW/HORIZONTAL COIL
H4TXV02		R410A EXPANSION VALVE

DUCANE



Heating · Air-Conditioning

Ducane 16 Seer R410A

High Efficiency Gas System

Constant Torque Furnaces

10 Year Compressor - 10 Year Parts Warranty

2 TON	15 SEER	AHRI # 4932763
4AC16LT24	2 TON	16 SEER CONDENSING UNIT
80G1UH045AE12	3 TON	45 K BTU CONSTANT TORQUE FURNACE
85W66		BLOWER RELAY KIT
E (C,M) 1P36AM	3 TON	UPFLOW/MULTI-POSITION COIL
H4TXV01		R410A EXPANSION VALVE
3 TON	15 SEER	AHRI # 4932770
4AC16LT36	3 TON	16 SEER CONDENSING UNIT
80G1UH070BE12	3 TON	70K BTU CONSTANT TORQUE FURNACE
85W66		BLOWER RELAY KIT
E (C,H) 1P36BM	3 TON	UPFLOW/HORIZONTAL COIL 17.5" WIDE
H4TXV01		R410A EXPANSION VALVE
4 TON	14.5 SEER	AHRI # 4932782
4AC16LT48	4 TON	16 SEER CONDENSING UNIT
80G1UH090CE20	5 TON	90 K BTU CONSTANT TORQUE FURNACE
85W66		BLOWER RELAY KIT
E (C,H) 1P62CM	5 TON	UPFLOW/HORIZONTAL COIL
H4TXV02		R410A EXPANSION VALVE
5 TON	15 SEER	AHRI # 4932790
4AC16LT60	5 TON	16 SEER CONDENSING UNIT
80G1UH110CE20	5 TON	110 K BTU CONSTANT TORQUE FURNACE
85W66		BLOWER RELAY KIT
E (C,H) 1P49CM	4 TON	UPFLOW/MULTI-POSITION COIL
H4TXV02		R410A EXPANSION VALVE



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

DUCCANE

Heating · Air-Conditioning

Ducane 14 Seer R410A

High Efficiency Gas System

Constant Torque Furnaces

10 Year Compressor - 10 Year Parts Warranty



2 TON	15.1 SEER	AHRI # 5562226
4AC14L24	2 TON	14 SEER CONDENSING UNIT
80G1UH045AE12	3 TON	45 K BTU CONSTANT TORQUE FURNACE
E (C,H) 1P23AM	2 TON	UPFLOW/HORIZONTAL COIL
2.5 TON	15.1 SEER	AHRI # 5356523
4AC14L30	2.5 TON	14 SEER CONDENSING UNIT
80G1UH070BE12	3 TON	70K BTU CONSTANT TORQUE FURNACE
E (C,H) 1P36BM	3 TON	UPFLOW/HORIZONTAL COIL 17.5" WIDE
3 TON	15.1 SEER	AHRI # 5356532
4AC14L36	3 TON	14 SEER CONDENSING UNIT
80G1UH090BE16	4 TON	90 K BTU CONSTANT TORQUE FURNACE
EM1P43BM	3.5 TON	MULTI-POSITION COIL 17.5" WIDE
3.5 TON	14.5 SEER	AHRI # 5356537
4AC14L42	3.5 TON	14 SEER CONDENSING UNIT
80G1UH090CE20	5 TON	90 K BTU CONSTANT TORQUE FURNACE
E (C,H) 1P49CM	4 TON	UPFLOW/MULTI-POSITION COIL
4 TON	14 SEER	AHRI # 5562295
4AC14L48	4 TON	14 SEER CONDENSING UNIT
80G1UH090CE20	5 TON	90 K BTU CONSTANT TORQUE FURNACE
E (C,H) 1P62CM	5 TON	UPFLOW/HORIZONTAL COIL
5 TON	14 SEER	AHRI # 5356751
4AC14L60	5 TON	14 SEER CONDENSING UNIT
80G1UH110CE20	5 TON	110K BTU CONSTANT TORQUE FURNACE
E (C,H) 1P49CM	5 TON	UPFLOW/HORIZONTAL COIL



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

DUCANE

Heating · Air-Conditioning
Ducane 14 Seer Heat Pumps
 Standard Air Handlers
 15 Seer with TXV Installed



1.5 TON		** SEE BELOW
4HP14L18	1.5 TON	14 SEER HEAT PUMP
BCS3M24C	2 TON	AIR HANDLER
ECB25-10-P	10 KW	ELECTRIC HEAT KIT
H4TXV01		R410A EXPANSION VALVE

2 TON		14 SEER
4HP14L24	2 TON	14 SEER HEAT PUMP
BCS3M24C	2 TON	AIR HANDLER
ECB25-10-P	10 KW	ELECTRIC HEAT KIT
H4TXV01		R410A EXPANSION VALVE

2.5 TON		** SEE BELOW
4HP14L30	2.5 TON	14 SEER HEAT PUMP
BCS3M36C	3 TON	AIR HANDLER
ECB25-10-P	10 KW	ELECTRIC HEAT KIT
H4TXV01		R410A EXPANSION VALVE

3 TON		14 SEER
4HP14L36	3 TON	14 SEER HEAT PUMP
BCS3M36C	3 TON	AIR HANDLER
ECB25-15CB-P	15 KW	ELECTRIC HEAT KIT
H4TXV02		R410A EXPANSION VALVE

3.5 TON		** SEE BELOW
4HP14L42	3.5 TON	14 SEER HEAT PUMP
BCS3M48C	4 TON	AIR HANDLER
ECB25-15CB-P	15 KW	ELECTRIC HEAT KIT
H4TXV02		R410A EXPANSION VALVE

4 TON		14 SEER
4HP14L48	4 TON	14 SEER HEAT PUMP
BCS3M48C	4 TON	VARIABLE SPEED AIR HANDLER
ECB25-15CB-P	15 KW	ELECTRIC HEAT KIT
H4TXV02		R410A EXPANSION VALVE

5 TON		14 SEER
4HP14L60	5 TON	14 SEER HEAT PUMP
BCS3M60C	5 TON	AIR HANDLER
ECB25-20CB-P	20 KW	ELECTRIC HEAT KIT
H4TXV03		R410A EXPANSION VALVE

** Requires air handler of equal tonnage to rate at 14 SEER per AHRI. Matchup accepted as serviceable for Allied extended warranty requirements.



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

DUCCANE

Heating · Air-Conditioning

Ducane 14 Seer R410A

15 Seer with TXV

High Efficiency 15 SEER Heat Pump Systems

Variable Speed Air Handler

10 Year Compressor

10 Year Parts Warranty



1.5 TON		15 SEER
4HP14L18	1.5 TON	14 SEER HEAT PUMP
BCS2M24V	2 TON	VARIABLE SPEED AIR HANDLER
AEHBCC10NSA-1	10 KW	ELECTRIC HEAT KIT
H4TXV01		R410A EXPANSION VALVE

2 TON		15 SEER
4HP14L24	2 TON	14 SEER HEAT PUMP
BCS2M24V	2 TON	VARIABLE SPEED AIR HANDLER
AEHBCC10NSA-1	10 KW	ELECTRIC HEAT KIT
H4TXV01		R410A EXPANSION VALVE

2.5 TON		15 SEER
4HP14L30	2.5 TON	14 SEER HEAT PUMP
BCS2M36V	3 TON	VARIABLE SPEED AIR HANDLER
AEHBCC10NSA-1	10 KW	ELECTRIC HEAT KIT
H4TXV01		R410A EXPANSION VALVE

3 TON		15 SEER
4HP14L36	3 TON	14 SEER HEAT PUMP
BCS2M36V	3 TON	VARIABLE SPEED AIR HANDLER
AEHBCC15CSA-1	15 KW	ELECTRIC HEAT KIT
H4TXV02		R410A EXPANSION VALVE

3.5 TON		15 SEER
4HP14L42	3.5 TON	14 SEER HEAT PUMP
BCS2M42V	3.5 TON	VARIABLE SPEED AIR HANDLER
AEHBCC15CSA-1	15 KW	ELECTRIC HEAT KIT
H4TXV02		R410A EXPANSION VALVE

4 TON		15 SEER
4HP14L48	4 TON	14 SEER HEAT PUMP
BCS2M48V	4 TON	VARIABLE SPEED AIR HANDLER
AEHBCC15CSA-1	15 KW	ELECTRIC HEAT KIT
H4TXV02		R410A EXPANSION VALVE

5 TON		15 SEER
4HP14L60	5 TON	14 SEER HEAT PUMP
BCS2M60V	5 TON	VARIABLE SPEED AIR HANDLER
AEHBCC20CSA-1	20 KW	ELECTRIC HEAT KIT
H4TXV03		R410A EXPANSION VALVE



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

DUCANE

Heating · Air-Conditioning

Ducane 16 Seer R410A

High Efficiency Heat Pump Systems

Variable Speed Air Handler

10 Year Compressor - 10 Year Parts Warranty



3 TON

4HP16LT36

3 TON

BCS2M36V

3 TON

AEHBCC15CSA-1

15 KW

H4TXV01

15 SEER

16 SEER HEAT PUMP

VARIABLE SPEED AIR HANDLER

ELECTRIC HEAT KIT

R410A EXPANSION VALVE

4 TON

4HP16LT48

4 TON

BCS2M48V

4 TON

AEHBCC15CSA-1

15 KW

H4TXV02

16 SEER

16 SEER HEAT PUMP

VARIABLE SPEED AIR HANDLER

ELECTRIC HEAT KIT

R410A EXPANSION VALVE

5 TON

4HP16LT60

5 TON

BCS2M60V

5 TON

AEHBCC20CSA-1

20 KW

H4TXV03

15 SEER

16 SEER HEAT PUMP

VARIABLE SPEED AIR HANDLER

ELECTRIC HEAT KIT

R410A EXPANSION VALVE



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

WILLIAMS

WALL FURNACE

For concealed application virtually anywhere in the room, the easy riser basic vertical stack (er-b) comes standard in a heavy-gauge 88 galvanized steel cabinet, insulated with 1/2" thick, neoprene-coated fiberglass. This standard unit features a 1/2" od copper tube coil, slide-out blower assembly with quick-disconnect plug, insulated drain pan and filter. Risers are ordered separately due to size changes throughout the building.

WALL FURNACE

2509622	SINGLE WALL OUTLET 25,000 BTU
3509622	SINGLE WALL OUTLET 35,000 BTU
5009622	DUAL WALL OUTLET 50,000 BTU
4901	FREE STANDING KIT
4MOK	VENT PIPE 4" WALL KIT



FIRST CO.

FAN COILS

FEATURES:

- Sloped and Insulated Drain Pan
- Primary and Secondary Drains
- Easy Service Access
- 240/24V Relay/Transformer
- Copper Tube Coils
- Factory Installed Electric Heat (Except 0 KW)



FAN COILS

18HX6	1 1/2 TON FAN COIL 6 KW
24HX6	2 TON FAN COIL 6 KW
24HX8	2 TON FAN COIL 8 KW
30HX10	2 1/2 TON FAN COIL 10 KW
36HX10	3 TON FAN COIL 10 KW
9EVR410	410A EXPANSION VALVE
6421	HEAT PUMP KIT



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

STERLING

Tubular Gas-Fired Unit Heater

The Sterling model "GG" is the latest addition to Sterling's line of energy efficient gas-fired unit heaters. These propeller units combine the latest tubular heat exchanger technology with a unique single-orifice burner system. Units are available in sizes ranging from 30 to 120 MBH in a compact, low profile design.



MODEL GG UNIT HEATERS		VENT SIZE
GG30	30,000 BTU	4"
GG45	45,000 BTU	4"
GG60	60,000 BTU	4"
GG75	75,000 BTU	5"
GG105	100,000 BTU	5"
GG120	125,000 BTU	5"

Tubular Gas-Fired Unit Heater

The Sterling model "TF" is the commercial line of energy efficient gas-fired unit heaters. The "TF" is a propeller type unit heater that combines the latest tubular heat exchanger and inshot burner technology with the quality and reliability you have come to know with Sterling. Available in unit sizes from 150 – 400 MBH.



Model "TF" (150-400 MBH)
TF150 shown

MODEL TF UNIT HEATERS		VENT SIZE
TF150	150,000 BTU	5"
TF175	175,000 BTU	5"
TF200	200,000 BTU	5"
TF250	250,000 BTU	5"
TF300	300,000 BTU	6"
TF350	350,000 BTU	6"
TF400	400,000 BTU	6"