

MUELLER

Adapter • Female

Streamline® Copper Solder-Joint Fittings for supply/pressurized systems have been the leading brand of copper fittings for over 80 years. Available in wrought copper, our product selection has grown to become the most extensive in the industry. We are the acknowledged experts at engineering and manufacturing precision solder-joint copper fittings. Quality, consistency and reliability have made the Streamline® brand trusted and specified all around the world.

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
103R3434	Adapter - Female, 3/4"x3/4"	3/4"x3/4"	0.1500	50	500
103R7834	Adapter - Female, 7/8"x3/4"	7/8"x3/4"	0.1400	25	250
103R1181	Adapter - Female, 1-1/8"x1"	1-1/8"x1"	0.2500	25	250



Adapter • Male

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
104R3434	Adapter - Male, 3/4"x3/4"	3/4"x3/4"	0.1400	25	250
104R3412	Adapter - Male, 3/4"x1/2"	3/4"x1/2"	0.1200	25	250
104R7834	Adapter - Male, 7/8"x3/4"	7/8"x3/4"	0.1300	25	250
104R7812	Adapter - Male, 7/8"x1/2"	7/8"x1/2"	0.1200	25	250
104R1181	Adapter - Male, 1-1/8"x1"	1-1/8"x1"	0.2400	10	100



Cap

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
11738	Cap, 3/8"	3/8"	0.0100	50	2000
11758	Cap, 5/8"	5/8"	0.0200	100	1000
11734	Cap, 3/4"	3/4"	0.0300	50	2000
11778	Cap, 7/8"	7/8"	0.0400	50	500



Coupling • Rolled Stop

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
10014	Coupling - Rolled Stop, 1/4"	1/4"	0.0000	100	4000
10038	Coupling - Rolled Stop, 3/8"	3/8"	0.0100	50	2000
10012	Coupling - Rolled Stop, 1/2"	1/2"	0.0100	50	1700
10034	Coupling - Rolled Stop, 3/4"	3/4"	0.0500	50	500
10078	Coupling - Rolled Stop, 7/8"	7/8"	0.0600	50	500
100118	Coupling - Rolled Stop, 1-1/8"	1-1/8"	0.1100	25	250
100138	Coupling - Rolled Stop, 1-3/8"	1-3/8"	0.1500	25	250
100158	Coupling - Rolled Stop, 1-5/8"	1-5/8"	0.2100	10	100
100218	Coupling - Rolled Stop, 2-1/8"	2-1/8"	0.4000	-	75



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

MUELLER

Coupling • Reducing

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
101R3814	Coupling - Reducing, 3/8"x1/4"	3/8"x1/4"	0.0100	50	2000
101R1238	Coupling - Reducing, 1/2"x3/8"	1/2"x3/8"	0.0100	50	1700
101R5812	Coupling - Reducing, 5/8"x1/2"	5/8"x1/2"	0.0300	100	1000
101R5838	Coupling - Reducing, 5/8"x3/8"	5/8"x3/8"	0.0300	100	1000
101R3458	Coupling - Reducing, 3/4"x5/8"	3/4"x5/8"	0.0500	100	600
101R3412	Coupling - Reducing, 3/4"x1/2"	3/4"x1/2"	0.0400	100	600
101R3438	Coupling - Reducing, 3/4"x3/8"	3/4"x3/8"	0.0400	100	600
101R7834	Coupling - Reducing, 7/8"x3/4"	7/8"x3/4"	0.0600	100	1000
101R7858	Coupling - Reducing, 7/8"x5/8"	7/8"x5/8"	0.0800	50	500
101R7812	Coupling - Reducing, 7/8"x1/2"	7/8"x1/2"	0.0600	50	500
101R7838	Coupling - Reducing, 7/8"x3/8"	7/8"x3/8"	0.0600	50	500
101R11878	Coupling - Reducing, 1-1/8"x7/8"	1-1/8"x7/8"	0.1300	25	250
101R11834	Coupling - Reducing, 1-1/8"x3/4"	1-1/8"x3/4"	0.1100	25	250
101R138118	Coupling - Reducing, 1-3/8"x1-1/8"	1-3/8"x1-1/8"	0.2000	10	100
101R13878	Coupling - Reducing, 1-3/8"x7/8"	1-3/8"x7/8"	0.1700	10	100
101R158138	Coupling - Reducing, 1-5/8"x1-3/8"	1-5/8"x1-3/8"	0.2300	10	100
101R158118	Coupling - Reducing, 1-5/8"x1-1/8"	1-5/8"x1-1/8"	0.2300	10	100
101R15878	Coupling - Reducing, 1-5/8"x7/8"	1-5/8"x7/8"	0.2400	10	100
101R218158	Coupling - Reducing, 2-1/8"x1-5/8"	2-1/8"x1-5/8"	0.4300	-	100
101R218138	Coupling - Reducing, 2-1/8"x1-3/8"	2-1/8"x1-3/8"	0.4300	-	100
101R218118	Coupling - Reducing, 2-1/8"x1-1/8"	2-1/8"x1-1/8"	0.4600	-	100
101R258218	Coupling - Reducing, 2-5/8"x2-1/8"	2-5/8"x2-1/8"	0.6500	-	50



45° Elbow

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
10614	45° Elbow, 1/4"	1/4"	0.0100	50	2000
10638	45° Elbow, 3/8"	3/8"	0.0100	50	2800
10612	45° Elbow, 1/2"	1/2"	0.0300	50	850
10658	45° Elbow, 5/8"	5/8"	0.0400	50	500
10634	45° Elbow, 3/4"	3/4"	0.0600	50	500
10678	45° Elbow, 7/8"	7/8"	0.0900	25	250
106118	45° Elbow, 1-1/8"	1-1/8"	0.1600	25	250
106138	45° Elbow, 1-3/8"	1-3/8"	0.2500	10	100
106158	45° Elbow, 1-5/8"	1-5/8"	0.3600	10	100
106218	45° Elbow, 2-1/8"	2-1/8"	0.6000	10	50



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

MUELLER

45° Elbow • Street

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
106238	45° Elbow - Street, 3/8"	3/8"	0.0100	100	3400
106212	45° Elbow - Street, 1/2"	1/2"	0.0300	100	1500
106234	45° Elbow - Street, 3/4"	3/4"	0.0600	50	500
106278	45° Elbow - Street, 7/8"	7/8"	0.0900	25	250
1062118	45° Elbow - Street, 1-1/8"	1-1/8"	0.1500	25	250
1062138	45° Elbow - Street, 1-3/8"	1-3/8"	0.2400	10	100
1062158	45° Elbow - Street, 1-5/8"	1-5/8"	0.3300	10	100



90° Elbow • Short Radius

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
107C14	90° Elbow - Short Radius, 1/4"	1/4"	0.0100	50	2000
107C38	90° Elbow - Short Radius, 3/8"	3/8"	0.0200	50	1700
107C12	90° Elbow - Short Radius, 1/2"	1/2"	0.0300	50	1000
107C58	90° Elbow - Short Radius, 5/8"	5/8"	0.0500	100	1000
107C34	90° Elbow - Short Radius, 3/4"	3/4"	0.0800	50	500
107C78	90° Elbow - Short Radius, 7/8"	7/8"	0.1100	50	500
107C118	90° Elbow - Short Radius, 1-1/8"	1-1/8"	0.2400	25	250
107C138	90° Elbow - Short Radius, 1-3/8"	1-3/8"	0.3000	10	100
107C158	90° Elbow - Short Radius, 1-5/8"	1-5/8"	0.4200	10	100
107C218	90° Elbow - Short Radius, 2-1/8"	2-1/8"	0.7600	10	50



90° Elbow • Long Radius

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
10714	90° Elbow - Long Radius, 1/4"	1/4"	0.0100	50	2000
10738	90° Elbow - Long Radius, 3/8"	3/8"	0.0200	50	1700
10712	90° Elbow - Long Radius, 1/2"	1/2"	0.0400	50	500
10758	90° Elbow - Long Radius, 5/8"	5/8"	0.0600	50	500
10734	90° Elbow - Long Radius, 3/4"	3/4"	0.0900	50	500
10778	90° Elbow - Long Radius, 7/8"	7/8"	0.1300	25	250
107118	90° Elbow - Long Radius, 1-1/8"	1-1/8"	0.2700	10	100
107138	90° Elbow - Long Radius, 1-3/8"	1-3/8"	0.4200	10	100
107158	90° Elbow - Long Radius, 1-5/8"	1-5/8"	0.6000	5	50
107218	90° Elbow - Long Radius, 2-1/8"	2-1/8"	1.2300	5	25



WWW.ACSUPPLYTEXAS.COM

DOWNTOWN
817-922-0544

ARLINGTON
817-461-0744

EAST SIDE
817-428-8077

WEST SIDE
817-244-3885

MUELLER

90° Elbow Short Radius • Street

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
107C238	90° Elbow - Short Radius - Street, 3/8"	3/8"	0.0200	50	1700
107C212	90° Elbow - Short Radius - Street, 1/2"	1/2"	0.0300	50	750
107C258	90° Elbow - Short Radius - Street, 5/8"	5/8"	0.0500	50	500
107C234	90° Elbow - Short Radius - Street, 3/4"	3/4"	0.0900	25	250
107C278	90° Elbow - Short Radius - Street, 7/8"	7/8"	0.1100	25	250
107C2118	90° Elbow - Short Radius - Street, 1-1/8"	1-1/8"	0.2200	25	250
107C2138	90° Elbow - Short Radius - Street, 1-3/8"	1-3/8"	0.2900	25	125
107C2158	90° Elbow - Short Radius - Street, 1-5/8"	1-5/8"	0.4400	10	100
107C2218	90° Elbow - Short Radius - Street, 2-1/8"	2-1/8"	0.7700	10	50



90° Elbow Long Radius • Street

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
107238	90° Elbow - Long Radius - Street, 3/8"	3/8"	0.0200	50	1700
107212	90° Elbow - Long Radius - Street, 1/2"	1/2"	0.0400	50	500
107258	90° Elbow - Long Radius - Street, 5/8"	5/8"	0.0600	50	500
107234	90° Elbow - Long Radius - Street, 3/4"	3/4"	0.0900	25	250
107278	90° Elbow - Long Radius - Street, 7/8"	7/8"	0.1300	25	250
1072118	90° Elbow - Long Radius - Street, 1-1/8"	1-1/8"	0.2600	10	100
1072138	90° Elbow - Long Radius - Street, 1-3/8"	1-3/8"	0.4200	10	100
1072158	90° Elbow - Long Radius - Street, 1-5/8"	1-5/8"	0.6000	5	50
1072218	90° Elbow - Long Radius - Street, 2-1/8"	2-1/8"	1.2300	5	25
107C218	90° Elbow - Short Radius, 2-1/8"	2-1/8"	0.7600	10	50



MUELLER

90° Fitting Reducer

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
1183814	90° Fitting Reducer, 3/8"x1/4"	3/8"x1/4"	0.0100	50	2000
1181238	90° Fitting Reducer, 1/2"x3/8"	1/2"x3/8"	0.0200	50	2000
1185812	90° Fitting Reducer, 5/8"x1/2"	5/8"x1/2"	0.0300	50	750
1183458	90° Fitting Reducer, 3/4"x5/8"	3/4"x5/8"	0.0400	100	1000
1183412	90° Fitting Reducer, 3/4"x1/2"	3/4"x1/2"	0.0400	100	900
1187834	90° Fitting Reducer, 7/8"x3/4"	7/8"x3/4"	0.0600	50	500
1187858	90° Fitting Reducer, 7/8"x5/8"	7/8"x5/8"	0.0600	50	500
11811878	90° Fitting Reducer, 1-1/8"x7/8"	1-1/8"x7/8"	0.1100	25	250
11811834	90° Fitting Reducer, 1-1/8"x3/4"	1-1/8"x3/4"	0.1000	25	250
118138118	90° Fitting Reducer, 1-3/8"x1-1/8"	1-3/8"x1-1/8"	0.1700	10	100
11813878	90° Fitting Reducer, 1-3/8"x7/8"	1-3/8"x7/8"	0.1700	10	100
11813858	90° Fitting Reducer, 1-3/8"x5/8"	1-3/8"x5/8"	0.1600	10	100
118158138	90° Fitting Reducer, 1-5/8"x1-3/8"	1-5/8"x1-3/8"	0.2300	10	100
118158118	90° Fitting Reducer, 1-5/8"x1-1/8"	1-5/8"x1-1/8"	0.2400	10	100
118218158	90° Fitting Reducer, 2-1/8"x1-5/8"	2-1/8"x1-5/8"	0.4400	-	100



P-Trap • Pressure

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
12358	P-Trap - Pressure, 5/8"	5/8"	0.3800	10	50
12334	P-Trap - Pressure, 3/4"	3/4"	0.5100	10	50
12378	P-Trap - Pressure, 7/8"	7/8"	0.6300	5	25
123118	P-Trap - Pressure, 1-1/8"	1-1/8"	0.8700	3	15



Tee

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
11114	Tee, 1/4"	1/4"	0.0100	100	2400
11138	Tee, 3/8"	3/8"	0.0200	50	1700
11112	Tee, 1/2"	1/2"	0.0400	50	500
11158	Tee, 5/8"	5/8"	0.0700	50	500
11134	Tee, 3/4"	3/4"	0.1200	25	250
11178	Tee, 7/8"	7/8"	0.1600	25	250
111138	Tee, 1-3/8"	1-3/8"	0.4200	5	50
111158	Tee, 1-5/8"	1-5/8"	0.6000	5	50
111218	Tee, 2-1/8"	2-1/8"	1.1400	5	25



MUELLER

Copper Tube Strap

ITEM NO.	DESCRIPTION	DIAMETER	EACH WT.	INNER QTY.	MASTER QTY.
12038	Copper Tube Strap - Two Hole, 3/8"	3/8"	0.0100	100	5600
12012	Copper Tube Strap - Two Hole, 1/2"	1/2"	0.0100	100	3400
12034	Copper Tube Strap - Two Hole, 3/4"	3/4"	0.0100	100	2000
12078	Copper Tube Strap - Two Hole, 7/8"	7/8"	0.0100	50	750
120118	Copper Tube Strap - Two Hole, 1-1/8"	1-1/8"	0.0200	50	750
120138	Copper Tube Strap - Two Hole, 1-3/8"	1-3/8"	0.0400	50	500



RGF ENVIRONMENTAL

RGF FIN SAVER

ITEM NO.	DESCRIPTION	DIAMETER
FS625	RGF Fin Saver, 5/8"	5/8"
FS750	RGF Fin Saver, 3/4"	3/4"
FS875	RGF Fin Saver, 7/8"	7/8"

