



SHOP.AC SUPPLY TEXAS.COM

## DURABLE DESIGN

Frigidaire uses only the highest quality parts, all-aluminum coils to increase resistance to corrosion, Copeland Scroll® compressor for energy efficiency, and years of trouble-free operation.

# HVAC FRIGIDAIRE


2024

INNOVATIVE  
QUIET  
OPERATION  
COIL TECH









SERIAL NUMBER INTERPRETER					
1st Digits of Model	XX	P	YY	MM	SSSSSS
Manufacturing Plant				Month	Number
D = Poplar Bluff				Manufactured	
F = Dyersburg				Year Manufactured	
G = Saitillo					



\* May be preceded by an alphanumeric character denoting private brand.



\* May be preceded by an alphanumeric character denoting private brand.



product  
identifier  
key

SHOP.AC SUPPLY TEXAS.COM





# NEED SYSTEM PRICING?

We have made finding your  
system price easy!

Log in to your  
**[SHOP.ACSUPPLYTEXAS.COM](https://shop.acsupplytexas.com)**  
account and type any AHRI  
number into the search bar to  
get prices on every piece you  
need. CLICK and SHOP...



CLICK  
**ANY AHRI**  
  
FIND  
**YOUR PRICE**



817-922-06544

[SHOP.ACSUPPLYTEXAS.COM](https://shop.acsupplytexas.com)

[NEED A LOGIN? CLICK HERE TO REGISTER FOR AN ACCOUNT](#)



## ***Table of Contents***

### **Systems Match-Ups**

Air Conditioner Systems.....	1
16 SEER Frigidaire Air Conditioner Systems.....	1
20 SEER Frigidaire Air Conditioner Systems.....	2
13.8/14.3 SEER2 Frigidaire Air Conditioner Systems.....	3
16.0 SEER2 Frigidaire Air Conditioner Systems.....	5
Heat Pump Systems.....	6
14/15 SEER Frigidaire Heat Pump Systems with Air Handler.....	6
16 SEER Frigidaire Heat Pump Systems with Air Handler.....	7
18/19 SEER Frigidaire Heat Pump Systems with Air Handler.....	8
14.3 SEER2 Frigidaire Heat Pump Systems with Air Handler.....	9
15.2 SEER2 Frigidaire Heat Pump Systems with Air Handler.....	11
Gas Systems.....	12
16 SEER Frigidaire 80% Furnace Systems with Multi-Position Coil...	12
16 SEER Frigidaire 95.1% Furnace Systems with Multi-Position Coil	13
13.8/14.3 SEER2 Frigidaire 80% Furnace Systems with Multi-Position Coil.....	14
15.2/16.0 SEER2 Frigidaire 80% Furnace Systems with Multi-Position Coil.....	17
15.2/16.0 SEER2 Frigidaire 95.1% Furnace Systems with Multi-Position Coil.....	18
Dual Fuel Systems.....	20
14.3 SEER2 Frigidaire Dual-Fuel 80% Furnace Systems with Multi-Position Coil.....	20
15.2 SEER2 Frigidaire Dual Fuel 80% Furnace Systems with Multi-Position Coil.....	22
15.2 SEER2 Frigidaire Dual Fuel 95.1% Furnace Systems with Multi-Position Coil.....	23
Fan Coil Systems.....	25
14.3 SEER2 Frigidaire Air Conditioner Systems with Fan Coil.....	25

# ***Table of Contents***

## **Components**

Air Conditioners.....	27
Frigidaire Air Conditioners.....	27
Frigidaire SEER2 Air Conditioners.....	28
Heat Pumps.....	29
Frigidaire Heat Pumps.....	29
Frigidaire SEER2 Heat Pumps.....	31
Furnaces.....	32
90+% Frigidaire Gas Furnaces.....	32
80+% Frigidaire Gas Furnaces.....	33
Air Handlers.....	35
Variable Speed Series Microchannel Coil Air Handlers.....	35
Variable Speed Series Air Handlers.....	35
TXV Series Air Handlers.....	36
Fixed Orifice Series Air Handlers.....	36
SEER2 Variable Speed Air Handlers.....	37
SEER2 Multi-Speed Air Handlers.....	38
SEER2 Fixed Speed Air Handlers.....	39
Evaporator Coils.....	40
TXV Multiposition Evaporator Coils.....	40
Fixed Orifice Multiposition Evaporator Coils.....	40
C74 Series SEER2 Evaporator Coils.....	41
Fan Coils.....	42
Horizontal Recessed Ceiling Fan Coils.....	42
HVAC Accessories.....	43
Electric Heat Kits.....	43
R-410A TXV Kits.....	43
TXV Tube Kit for Converting C7BHM0 Coils To TXV.....	43





## Air Conditioner Systems

\*\*\* WHILE SUPPLIES LAST \*\*\*

### FRIGIDAIRE

#### 16 SEER Frigidaire Air Conditioner Systems

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton AHRI 206784410	FSA1BF4M2SN24KP	2.0 Ton R-410A Condenser	23-3/4" x 23-3/4" x 36-1/2"	16.0 SEER 13.0 EER  Total
	B6VMMX24KBP	2.0 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 43-1/2"	
	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
3.0 Ton AHRI 206784419	FSA1BF4M2SN36KP	3.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 37-1/4"	16.0 SEER 12.5 EER  Total
	B6VMMX36KBP	3.0 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 49-1/2"	
	H8HK010H11	10kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
4.0 Ton	FSA1BF4M2SN48KP	4.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 41-1/4"	16.0 SEER 12.5 EER  Total
	B64VMMX48KC	4.0 Ton TXV Variable-Speed Air Handler	22-1/2" x 22" x 56"	
	H8HK015H21	15kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	
5.0 Ton AHRI 206784443	FSA1BF4M2SN60KP	5.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 45-1/4"	16.0 SEER 12.5 EER  Total
	B6VMMX60KCP	5.0 Ton TXV Variable-Speed Air Handler	22-1/2" x 22" x 56"	
	H8HK020H21	20kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

#ACSUPPLYCO

ACSUPPLYTEXAS.COM

1

Prices and Specifications are Subject to Change. Plenum Priced Separate from System.

\*\*\* WHILE SUPPLIES LAST \*\*\*

## FRIGIDAIRE

## 20 SEER Frigidaire Air Conditioner Systems

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton AHRI 206784455	FSA1BG4MVRN24KP	2.0 Ton R-410A Condenser	22-1/2" x 22-1/2" x 37"	20.0 SEER 13.5 EER  Total
	B6VMMX24KBP	2.0 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 43-1/2"	
	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
3.0 Ton AHRI 206784461	FSA1BG4MVRN36KP	3.0 Ton R-410A Condenser	30-1/2" x 30-1/2" x 37"	20.0 SEER 12.2 EER  Total
	B6VMMX36KBP	3.0 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 49-1/2"	
	H8HK010H11	10kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		
4.0 Ton	FSA1BG4MVRN48KP	4.0 Ton R-410A Condenser	30-1/2" x 30-1/2" x 45"	20.0 SEER 13.0 EER  Total
	B64VMMX48KC	4.0 Ton TXV Variable-Speed Air Handler	22-1/2" x 22" x 56"	
	H8HK015H21	15kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		
5.0 Ton AHRI 206784479	FSA1BG4MVRN60KP	5.0 Ton R-410A Condenser	30-1/2" x 30-1/2" x 45"	20.0 SEER 12.5 EER  Total
	B6VMMX60KCP	5.0 Ton TXV Variable-Speed Air Handler	22-1/2" x 22" x 56"	
	H8HK020H21	20kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

## FRIGIDAIRE

### 13.8/14.3 SEER2 Frigidaire Air Conditioner Systems

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
1.5 Ton AHRI 208778808	FSA3BE4M1SN18K B64BMMX18KA H8HK005H11	1.5 Ton R-410A SEER2 1Stg Condenser 1.5 Ton TXV Multi-Speed SEER2 Air Handler 5kW Electric Heat Kit	31-3/4" x 31-3/4" x 29-1/4" 14-3/16" x 22" x 43-5/16" Supply Air: 12-7/8" x 12-3/4"	14.3 SEER2 11.7 EER2
	PLENOR141448 Line Size:	Nortek A Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 14" x 48"	Total
2.0 Ton AHRI 208778809	FSA3BE4M1SN24K B64BMMX24KA H8HK008H11	2.0 Ton R-410A SEER2 1Stg Condenser 2.0 Ton TXV Multi-Speed SEER2 Air Handler 8kW Electric Heat Kit	31-3/4" x 31-3/4" x 29-1/4" 14-3/16" x 22" x 43-5/16" Supply Air: 12-7/8" x 12-3/4"	14.3 SEER2 11.7 EER2
	PLENOR141448 Line Size:	Nortek A Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 14" x 48"	Total
2.0 Ton AHRI 208778810	FSA3BE4M1SN24K B64BMMX24KB H8HK008H11	2.0 Ton R-410A SEER2 1Stg Condenser 2.0 Ton TXV Multi-Speed SEER2 Air Handler 8kW Electric Heat Kit	31-3/4" x 31-3/4" x 29-1/4" 19-11/16" x 22" x 43-5/16" Supply Air: 12-7/8" x 18-1/4"	14.3 SEER2 11.7 EER2
	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 20" x 48"	Total
2.5 Ton AHRI 208778811	FSA3BE4M1SN30K B64BMMX30KB H8HK008H11	2.5 Ton R-410A SEER2 1Stg Condenser 2.5 Ton TXV Multi-Speed SEER2 Air Handler 8kW Electric Heat Kit	31-3/4" x 31-3/4" x 29-1/4" 19-11/16" x 22" x 43-5/16" Supply Air: 12-7/8" x 18-1/4"	14.3 SEER2 11.7 EER2
	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 20" x 48"	Total
3.0 Ton AHRI 208778812	FSA3BE4M1SN36K B64BMMX36KB H8HK010H11	3.0 Ton R-410A SEER2 1Stg Condenser 3.0 Ton TXV Multi-Speed SEER2 Air Handler 10kW Electric Heat Kit	31-3/4" x 31-3/4" x 41-1/4" 19-11/16" x 22" x 49-5/16" Supply Air: 12-7/8" x 18-1/4"	14.3 SEER2 11.7 EER2
	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 20" x 48"	Total
3.5 Ton AHRI 208778813	FSA3BE4M1SN42K B64BMMX42KC H8HK010H11	3.5 Ton R-410A SEER2 1Stg Condenser 3.5 Ton TXV Multi-Speed SEER2 Air Handler 10kW Electric Heat Kit	31-3/4" x 31-3/4" x 45-1/4" 22-7/16" x 22" x 55-11/16" Supply Air: 12-7/8" x 21"	14.3 SEER2 11.7 EER2
	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	Total

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.



**13.8/14.3 SEER2 Frigidaire Air Conditioner Systems (Continued)**

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
4.0 Ton  AHRI 208778814	FSA3BE4M1SN48K	4.0 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 45-1/4"	13.8 SEER2 11.2 EER2
	B64BMMX48KC	4.0 Ton TXV Multi-Speed SEER2 Air Handler	22-7/16" x 22" x 55-11/16"	
	H8HK015H21	15kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	Total
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		
5.0 Ton  AHRI 211642433	FSA3BE4M2SN60KA	5.0 Ton R-410A SEER2 2Stg Condenser	31-1/2" x 31-1/2" x 45-1/4"	13.8 SEER2 11.2 EER2
	B64VMMX60KC	5.0 Ton TXV Variable-Speed SEER2 Air Handler	22-1/2" x 22" x 56"	
	H8HK020H21	20kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	Total
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.






Refer to Installation Manual for specific details.

## FRIGIDAIRE

### 16.0 SEER2 Frigidaire Air Conditioner Systems

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton 	FSA3BF4M2SN24K	2.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 29-1/2"	16.0 SEER2 12.0 EER2  Total
	B64VMMX24KA	2.0 Ton TXV Variable-Speed SEER2 Air Handler	14-1/4" x 22" x 43-1/2"	
	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 12-3/4"	
AHRI 209560360	PLENOR141448 Line Size:	Nortek A Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 14" x 48"	
2.0 Ton 	FSA3BF4M2SN24K	2.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 29-1/2"	16.0 SEER2 12.0 EER2  Total
	B64VMMX24KB	2.0 Ton TXV Variable-Speed SEER2 Air Handler	19-3/4" x 22" x 43-1/2"	
	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
AHRI 209560361	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 20" x 48"	
3.0 Ton 	FSA3BF4M2SN36K	3.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2  Total
	B64VMMX36KB	3.0 Ton TXV Variable-Speed SEER2 Air Handler	19-3/4" x 22" x 49-1/2"	
	H8HK010H11	10kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
AHRI 209560362	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 20" x 48"	
4.0 Ton 	FSA3BF4M2SN48K	4.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2  Total
	B64VMMX48KC	4.0 Ton TXV Variable-Speed SEER2 Air Handler	22-1/2" x 22" x 56"	
	H8HK015H21	15kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
AHRI 209560363	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	
5.0 Ton 	FSA3BF4M2SN60K	5.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2  Total
	B64VMMX60KC	5.0 Ton TXV Variable-Speed SEER2 Air Handler	22-1/2" x 22" x 56"	
	H8HK020H21	20kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
AHRI 209560364	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*

## FRIGIDAIRE

## 14/15 SEER Frigidaire Heat Pump Systems with Air Handler

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.5 Ton	FSH1BE4M1SP30KP	2.5 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	14.0 SEER 11.5 EER
AHRI	B6BMM030KBP	2.5 Ton Multi-Speed Air Handler	19-3/4" x 22" x 43-1/2"	8.2 HSPF
206792708	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
2.5 Ton	FSH1BE4M1SP30KP	2.5 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	14.0 SEER 11.5 EER
AHRI	B6BMMX30KBP	2.5 Ton TXV Multi-Speed Air Handler	19-3/4" x 22" x 43-1/2"	8.2 HSPF
206792714	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
2.5 Ton	FSH1BE4M1SP30KP	2.5 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	15.0 SEER 12.5 EER
AHRI	B6VMMX30KBP	2.5 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 43-1/2"	8.5 HSPF
206792327	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
3.5 Ton	FSH1BE4M1SP42KP	3.5 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	14.0 SEER 11.5 EER
AHRI	B6BMM042KBP	3.5 Ton Multi-Speed Air Handler	19-3/4" x 22" x 49-1/2"	8.2 HSPF
206792726	H8HK015H21	15kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		
3.5 Ton	FSH1BE4M1SP42KP	3.5 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	14.0 SEER 11.5 EER
AHRI	B6BMMX48KCP	4.0 Ton TXV Multi-Speed Air Handler	22-1/2" x 22" x 56"	8.2 HSPF
206792729	H8HK015H21	15kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	Total
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*

## 14/15 SEER Frigidaire Heat Pump Systems with Air Handler (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
3.5 Ton AHRI 206792417	FSH1BE4M1SP42KP	3.5 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	15.0 SEER 12.5 EER
	B6VMMX42KBP	3.5 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 49-1/2"	8.5 HSPF
	H8HK010H11	10kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 20" x 48"	
5.0 Ton AHRI 206792657	FSH1BE4M1SP60KP	5.0 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	14.0 SEER 11.5 EER
	B6VMMX60KCP	5.0 Ton TXV Variable-Speed Air Handler	22-1/2" x 22" x 56"	8.2 HSPF
	H8HK020H21	20kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	Total
	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	

## 16 SEER Frigidaire Heat Pump Systems with Air Handler

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton AHRI 206792510	FSH1BF4M2SX24KP	2.0 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 37-1/4"	16.0 SEER 13.0 EER
	B6VMMX24KBP	2.0 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 43-1/2"	9.0 HSPF
	H8HK005H11	5kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 20" x 48"	
3.0 Ton AHRI 206792738	FSH1BF4M2SX36KP	3.0 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	16.0 SEER 12.5 EER
	B6VMMX36KBP	3.0 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 49-1/2"	9.0 HSPF
	H8HK010H11	10kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 20" x 48"	
5.0 Ton AHRI 206792531	FSH1BF4M2SX60KP	5.0 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	16.0 SEER 11.5 EER
	B6VMMX60KCP	5.0 Ton TXV Variable-Speed Air Handler	22-1/2" x 22" x 56"	9.0 HSPF
	H8HK020H21	20kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	Total
	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*

## FRIGIDAIRE

## 18/19 SEER Frigidaire Heat Pump Systems with Air Handler

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton AHRI 206792480	FSH1BG4CVRX24KP	2.0 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 37-1/4"	19.0 SEER 13.9 EER
	B6VMAX24KBP	2.0 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 49-1/2"	10.0 HSPF
	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		
3.0 Ton AHRI 206792486	FSH1BG4CVRX36KP	3.0 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	19.0 SEER 12.6 EER
	B6VMAX36KBP	3.0 Ton TXV Variable-Speed Air Handler	19-3/4" x 22" x 49-1/2"	10.0 HSPF
	H8HK010H11	10kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	Total
	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		
4.0 Ton AHRI 206792495	FSH1BG4CVRX48KP	4.0 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	18.0 SEER 12.5 EER
	B6VMAX48KCP	4.0 Ton TXV Variable-Speed Air Handler	22-1/2" x 22" x 56"	9.4 HSPF
	H8HK015H21	15kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	Total
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		
5.0 Ton AHRI 206792501	FSH1BG4CVRX60KP	5.0 Ton R-410A Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	18.0 SEER 11.5 EER
	B6VMAX60KCP	5.0 Ton TXV Variable-Speed Air Handler	22-1/2" x 22" x 56"	9.5 HSPF
	H8HK020H21	20kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	Total
	PLENOR14221248	Nortek C Cabinet Electric Plenum	14" x 22-1/2" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.



## FRIGIDAIRE

### 14.3 SEER2 Frigidaire Heat Pump Systems with Air Handler

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
1.5 Ton	FSH3BE4M1SP18K	1.5 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 33-1/4"	14.3 SEER2 11.0 EER2
	B64BMMX18KA	1.5 Ton TXV Multi-Speed SEER2 Air Handler	14-3/16" x 22" x 43-5/16"	7.5 HSPF2
AHRI	H8HK005H11	5kW Electric Heat Kit	Supply Air: 12-7/8" x 12-3/4"	
208141827	PLENOR141448	Nortek A Cabinet Electric Plenum	14" x 14" x 48"	Total
	Line Size:	3/8" Liquid, 3/4" Suction		
2.0 Ton	FSH3BE4M1SP24K	2.0 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 37-1/4"	14.3 SEER2 11.0 EER2
	B64BMMX24KA	2.0 Ton TXV Multi-Speed SEER2 Air Handler	14-3/16" x 22" x 43-5/16"	7.5 HSPF2
AHRI	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 12-3/4"	
208141828	PLENOR141448	Nortek A Cabinet Electric Plenum	14" x 14" x 48"	Total
	Line Size:	3/8" Liquid, 3/4" Suction		
2.0 Ton	FSH3BE4M1SP24K	2.0 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 37-1/4"	14.3 SEER2 12.0 EER2
	B64BMMX24KB	2.0 Ton TXV Multi-Speed SEER2 Air Handler	19-11/16" x 22" x 43-5/16"	7.5 HSPF2
AHRI	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
209456769	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	Total
	Line Size:	3/8" Liquid, 3/4" Suction		
2.5 Ton	FSH3BE4M1SP30K	2.5 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	14.3 SEER2 11.0 EER2
	B64BMMX30KB	2.5 Ton TXV Multi-Speed SEER2 Air Handler	19-11/16" x 22" x 43-5/16"	7.5 HSPF2
AHRI	H8HK008H11	8kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
208141829	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	Total
	Line Size:	3/8" Liquid, 3/4" Suction		
3.0 Ton	FSH3BE4M1SP36K	3.0 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	14.3 SEER2 11.0 EER2
	B64BMMX36KB	3.0 Ton TXV Multi-Speed SEER2 Air Handler	19-11/16" x 22" x 49-5/16"	7.5 HSPF2
AHRI	H8HK010H11	10kW Electric Heat Kit	Supply Air: 12-7/8" x 18-1/4"	
208141830	PLENOR142048	Nortek B Cabinet Electric Plenum	14" x 20" x 48"	Total
	Line Size:	3/8" Liquid, 3/4" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

### 14.3 SEER2 Frigidaire Heat Pump Systems with Air Handler (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
3.5 Ton  AHRI 208141831	FSH3BE4M1SP42K	3.5 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	14.3 SEER2 11.0 EER2
	B64BMMX42KC	3.5 Ton TXV Multi-Speed SEER2 Air Handler	22-7/16" x 22" x 55-11/16"	7.5 HSPF2
	H8HK010H11	10kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	Total
4.0 Ton  AHRI 208141832	FSH3BE4M1SP48K	4.0 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	14.3 SEER2 11.0 EER2
	B64EMMX48KC	4.0 Ton TXV Fixed-Speed SEER2 Air Handler	22-1/2" x 22" x 56"	7.5 HSPF2
	H8HK015H21	15kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	Total
5.0 Ton  AHRI 208141833	FSH3BE4M2SX60K	5.0 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 45-1/4"	14.3 SEER2 10.8 EER2
	B64VMMX60KC	5.0 Ton TXV Variable-Speed SEER2 Air Handler	22-1/2" x 22" x 56"	7.5 HSPF2
	H8HK020H21	20kW Electric Heat Kit	Supply Air: 12-7/8" x 21"	
	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	Total

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.






Refer to Installation Manual for specific details.

## FRIGIDAIRE

### 15.2 SEER2 Frigidaire Heat Pump Systems with Air Handler

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton 	FSH3BF4M2SX24K B64VMMX24KB H8HK008H11	2.0 Ton R-410A SEER2 2Stg Heat Pump 2.0 Ton TXV Variable-Speed SEER2 Air Handler 8kW Electric Heat Kit	31-1/2" x 31-1/2" x 37" 19-3/4" x 22" x 43-1/2" Supply Air: 12-7/8" x 18-1/4"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
AHRI 210263456	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 20" x 48"	
2.0 Ton 	FSH3BF4M2SX24K B64VMMX36KB H8HK010H11	2.0 Ton R-410A SEER2 2Stg Heat Pump 3.0 Ton TXV Variable-Speed SEER2 Air Handler 10kW Electric Heat Kit	31-1/2" x 31-1/2" x 37" 19-3/4" x 22" x 49-1/2" Supply Air: 12-7/8" x 18-1/4"	15.2 SEER2 11.7 EER2 8.1 HSPF2  Total
AHRI 210586540	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 3/4" Suction	14" x 20" x 48"	
3.0 Ton 	FSH3BF4M2SX36K B64VMMX36KB H8HK010H11	3.0 Ton R-410A SEER2 2Stg Heat Pump 3.0 Ton TXV Variable-Speed SEER2 Air Handler 10kW Electric Heat Kit	31-1/2" x 31-1/2" x 45" 19-3/4" x 22" x 49-1/2" Supply Air: 12-7/8" x 18-1/4"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
AHRI 210263457	PLENOR142048 Line Size:	Nortek B Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 20" x 48"	
3.0 Ton 	FSH3BF4M2SX36K B64VMMX48KC H8HK015H21	3.0 Ton R-410A SEER2 2Stg Heat Pump 4.0 Ton TXV Variable-Speed SEER2 Air Handler 15kW Electric Heat Kit	31-1/2" x 31-1/2" x 45" 22-1/2" x 22" x 56" Supply Air: 12-7/8" x 21"	15.2 SEER2 11.7 EER2 8.1 HSPF2  Total
AHRI 210586541	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	
4.0 Ton 	FSH3BF4M2SX48K B64VMMX48KC H8HK015H21	4.0 Ton R-410A SEER2 2Stg Heat Pump 4.0 Ton TXV Variable-Speed SEER2 Air Handler 15kW Electric Heat Kit	31-1/2" x 31-1/2" x 45" 22-1/2" x 22" x 56" Supply Air: 12-7/8" x 21"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
AHRI 210263471	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	
5.0 Ton	FSH3BF4M2SX60K B64VMMX60KC H8HK020H21	5.0 Ton R-410A SEER2 2Stg Heat Pump 5.0 Ton TXV Variable-Speed SEER2 Air Handler 20kW Electric Heat Kit	31-1/2" x 31-1/2" x 45" 22-1/2" x 22" x 56" Supply Air: 12-7/8" x 21"	15.2 SEER2 10.9 EER2 7.8 HSPF2  Total
AHRI 210263472	PLENOR14221248 Line Size:	Nortek C Cabinet Electric Plenum 3/8" Liquid, 7/8" Suction	14" x 22-1/2" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*

## FRIGIDAIRE

### 16 SEER Frigidaire 80% Furnace Systems with Multi-Position Coil

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton AHRI 207564383	FSA1BF4M2SN24KP	2.0 Ton R-410A Condenser	23-3/4" x 23-3/4" x 36-1/2"	16.0 SEER 13.0 EER  Total
	FG7TA080CV24BP	80MBTUH 80% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C7BHM024CBP	2.0 Ton TXV Multi-Position Coil	17-1/2" x 20-3/4" x 26-3/4"	
	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
3.0 Ton AHRI 207564389	FSA1BF4M2SN36KP	3.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 37-1/4"	16.0 SEER 13.0 EER  Total
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C7BHM036CCP	3.0 Ton TXV Multi-Position Coil	21" x 20-3/4" x 26-3/4"	
	PLENOR1425203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
4.0 Ton AHRI 207564374	FSA1BF4M2SN48KP	4.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 41-1/4"	16.0 SEER 12.5 EER  Total
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C7BHM048CCP	4.0 Ton Multi-Position Coil	21" x 20-3/4" x 30-1/4"	
	920672A 921829	4.0 Ton R-410A TXV Kit TXV Tube Kit		
	PLENOR1425203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
5.0 Ton AHRI 207564425	FSA1BF4M2SN60KP	5.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 45-1/4"	16.0 SEER 12.2 EER  Total
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C7BHM060CCP	5.0 Ton Multi-Position Coil	21" x 20-3/4" x 30-1/4"	
	920673A 921829	5.0 Ton R-410A TXV Kit TXV Tube Kit		
	PLENOR1425203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*

## FRIGIDAIRE

### 16 SEER Frigidaire 95.1% Furnace Systems with Multi-Position Coil

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton AHRI 207564383	FSA1BF4M2SN24KP	2.0 Ton R-410A Condenser	23-3/4" x 23-3/4" x 36-1/2"	16.0 SEER 13.0 EER  Total
	FG7TC060DV24BP	60MBTUH 95% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C7BHM24CBP	2.0 Ton TXV Multi-Position Coil	17-1/2" x 20-3/4" x 26-3/4"	
	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
3.0 Ton AHRI 207564389	FSA1BF4M2SN36KP	3.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 37-1/4"	16.0 SEER 13.0 EER  Total
	FG7TC080DV35CP	80MBTUH 95% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C7BHM36CCP	3.0 Ton TXV Multi-Position Coil	21" x 20-3/4" x 26-3/4"	
	PLENOR1425203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
4.0 Ton AHRI 207564374	FSA1BF4M2SN48KP	4.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 41-1/4"	16.0 SEER 12.5 EER  Total
	FG7TC080DV35CP	80MBTUH 95% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C7BHM048CCP	4.0 Ton Multi-Position Coil	21" x 20-3/4" x 30-1/4"	
	920672A 921829	4.0 Ton R-410A TXV Kit TXV Tube Kit		
	PLENOR1425203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
5.0 Ton AHRI 207564425	FSA1BF4M2SN60KP	5.0 Ton R-410A Condenser	31-3/4" x 31-3/4" x 45-1/4"	16.0 SEER 12.2 EER  Total
	FG7TC100DV35CP	100MBTUH 95% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C7BHM060CCP	5.0 Ton Multi-Position Coil	21" x 20-3/4" x 30-1/4"	
	920673A 921829	5.0 Ton R-410A TXV Kit TXV Tube Kit		
	PLENOR1425203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.



## FRIGIDAIRE

**13.8/14.3 SEER2 Frigidaire 80% Furnace Systems with Multi-Position Coil**

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
1.5 Ton	FSA3BE4M1SN18K	1.5 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2
AHRI 207776177	FG7SA045CT23AP	45MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	Total
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448	Nortek A Cabinet Gas Plenum	14-1/2" x 20-3/4" x 48"	
Line Size:		3/8" Liquid, 3/4" Suction		
1.5 Ton	FSA3BE4M1SN18K	1.5 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2
AHRI 207776177	FG7SA054CT23AP	54MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	Total
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448	Nortek A Cabinet Gas Plenum	14-1/2" x 20-3/4" x 48"	
Line Size:		3/8" Liquid, 3/4" Suction		
1.5 Ton	FSA3BE4M1SN18K	1.5 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2
AHRI 208778828	FG7SA072CT24BP	72MBTUH 80% Single-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	Total
	C74BHM24CB	2.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
	PLENOR1712207548	Nortek B Cabinet Gas Plenum	17-1/2" x 20-3/4" x 48"	
Line Size:		3/8" Liquid, 3/4" Suction		
2.0 Ton	FSA3BE4M1SN24K	2.0 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2
AHRI 207776178	FG7SA045CT23AP	45MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	Total
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448	Nortek A Cabinet Gas Plenum	14-1/2" x 20-3/4" x 48"	
Line Size:		3/8" Liquid, 3/4" Suction		
2.0 Ton	FSA3BE4M1SN24K	2.0 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2
AHRI 207776178	FG7SA054CT23AP	54MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	Total
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448	Nortek A Cabinet Gas Plenum	14-1/2" x 20-3/4" x 48"	
Line Size:		3/8" Liquid, 3/4" Suction		
2.0 Ton	FSA3BE4M1SN24K	2.0 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2
AHRI 208778829	FG7SA072CT24BP	72MBTUH 80% Single-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	Total
	C74BHM24CB	2.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
	PLENOR1712207548	Nortek B Cabinet Gas Plenum	17-1/2" x 20-3/4" x 48"	
Line Size:		3/8" Liquid, 3/4" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.



## 13.8/14.3 SEER2 Frigidaire 80% Furnace Systems with Multi-Position Coil (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.5 Ton	FSA3BE4M1SN30K	2.5 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2  Total
AHRI 207776179	FG7SA045CT23AP	45MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM30CA	2.5 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448	Nortek A Cabinet Gas Plenum	14-1/2" x 20-3/4" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
2.5 Ton	FSA3BE4M1SN30K	2.5 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2  Total
AHRI 207776179	FG7SA054CT23AP	54MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM30CA	2.5 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448	Nortek A Cabinet Gas Plenum	14-1/2" x 20-3/4" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
2.5 Ton	FSA3BE4M1SN30K	2.5 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 29-1/4"	14.3 SEER2 11.7 EER2  Total
AHRI 208778830	FG7SA072CT24BP	72MBTUH 80% Single-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM30CB	2.5 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
	PLENOR1712207548	Nortek B Cabinet Gas Plenum	17-1/2" x 20-3/4" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
3.0 Ton	FSA3BE4M1SN36K	3.0 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 41-1/4"	14.3 SEER2 11.7 EER2  Total
AHRI 207776180	FG7SA072CT24BP	72MBTUH 80% Single-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM36CB	3.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
	PLENOR1712207548	Nortek B Cabinet Gas Plenum	17-1/2" x 20-3/4" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
3.0 Ton	FSA3BE4M1SN36K	3.0 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 41-1/4"	14.3 SEER2 11.7 EER2  Total
AHRI 208778832	FG7SA072CT35CP	72MBTUH 80% Single-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM36CC	3.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 26-3/4"	
	PLENOR21203448	Nortek C Cabinet Gas Plenum	21" x 20-3/4" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
3.0 Ton	FSA3BE4M1SN36K	3.0 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 41-1/4"	14.3 SEER2 11.7 EER2  Total
AHRI 208778832	FG7SA090CT35CP	90MBTUH 80% Single-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM36CC	3.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 26-3/4"	
	PLENOR21203448	Nortek C Cabinet Gas Plenum	21" x 20-3/4" x 48"	
	Line Size:	3/8" Liquid, 3/4" Suction		
3.5 Ton	FSA3BE4M1SN42K	3.5 Ton R-410A SEER2 1Stg Condenser	31-3/4" x 31-3/4" x 45-1/4"	14.3 SEER2 11.7 EER2  Total
AHRI 207776181	FG7SA072CT35CP	72MBTUH 80% Single-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM42CC	3.5 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 26-3/4"	
	PLENOR21203448	Nortek C Cabinet Gas Plenum	21" x 20-3/4" x 48"	
	Line Size:	3/8" Liquid, 7/8" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

### 13.8/14.3 SEER2 Frigidaire 80% Furnace Systems with Multi-Position Coil (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
3.5 Ton AHRI 207776181	FSA3BE4M1SN42K FG7SA090CT35CP C74BHM42CC	3.5 Ton R-410A SEER2 1Stg Condenser 90MBTUH 80% Single-Stage Gas Furnace 3.5 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	14.3 SEER2 11.7 EER2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total
4.0 Ton AHRI 207776182	FSA3BE4M1SN48K FG7SA072CT35CP C74BHM48CC	4.0 Ton R-410A SEER2 1Stg Condenser 72MBTUH 80% Single-Stage Gas Furnace 4.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	13.8 SEER2 11.2 EER2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total
4.0 Ton AHRI 207776182	FSA3BE4M1SN48K FG7SA090CT35CP C74BHM48CC	4.0 Ton R-410A SEER2 1Stg Condenser 90MBTUH 80% Single-Stage Gas Furnace 4.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	13.8 SEER2 11.2 EER2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total
5.0 Ton AHRI 211642421	FSA3BE4M2SN60KA FG7SA072CT35CP C74BHM60CC	5.0 Ton R-410A SEER2 2Stg Condenser 72MBTUH 80% Single-Stage Gas Furnace 5.0 Ton TXV Multipoise SEER2 Cased Coil	31-1/2" x 31-1/2" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	13.8 SEER2 11.2 EER2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total
5.0 Ton AHRI 211642421	FSA3BE4M2SN60KA FG7SA090CT35CP C74BHM60CC	5.0 Ton R-410A SEER2 2Stg Condenser 90MBTUH 80% Single-Stage Gas Furnace 5.0 Ton TXV Multipoise SEER2 Cased Coil	31-1/2" x 31-1/2" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	13.8 SEER2 11.2 EER2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

## FRIGIDAIRE

### 15.2/16.0 SEER2 Frigidaire 80% Furnace Systems with Multi-Position Coil

- Two stage
- Variable speed
- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
	FSA3BF4M2SN24K	2.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 29-1/2"	16.0 SEER2 12.0 EER2  Total
	FG7TA060CV23AP	60MBTUH 80% Two-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
AHRI 209560352	PLENOR1425203448 Line Size:	Nortek A Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	14-1/2" x 20-3/4" x 48"	
	FSA3BF4M2SN24K	2.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 29-1/2"	15.2 SEER2 12.0 EER2  Total
	FG7TA080CV24BP	80MBTUH 80% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM24CB	2.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
AHRI 209560353	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
	FSA3BF4M2SN36K	3.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2  Total
	FG7TA080CV24BP	80MBTUH 80% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM36CB	3.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
AHRI 209560354	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
	FSA3BF4M2SN36K	3.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2  Total
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM36CC	3.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 26-3/4"	
AHRI 209560355	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	21" x 20-3/4" x 48"	
	FSA3BF4M2SN48K	4.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2  Total
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM48CC	4.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 30-1/4"	
AHRI 209560356	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
	FSA3BF4M2SN60K	5.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2  Total
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM60CC	5.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 30-1/4"	
AHRI 209560358	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

## FRIGIDAIRE

## 15.2/16.0 SEER2 Frigidaire 95.1% Furnace Systems with Multi-Position Coil

- Two stage
- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton	FSA3BF4M2SN24K FG7TC060DV24BP C74BHM24CB	2.0 Ton R-410A SEER2 2Stg Condenser 60MBTUH 95.1% Two-Stage Gas Furnace 2.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 29-1/2" 17-1/2" x 28" x 34-1/2" 17-1/2" x 20-3/4" x 26-3/4"	15.2 SEER2 12.0 EER2
AHRI 209560353	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	Total
3.0 Ton	FSA3BF4M2SN36K FG7TC060DV24BP C74BHM24CB	3.0 Ton R-410A SEER2 2Stg Condenser 60MBTUH 95.1% Two-Stage Gas Furnace 3.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/2" 17-1/2" x 28" x 34-1/2" 17-1/2" x 20-3/4" x 26-3/4"	16.0 SEER2 12.0 EER2
AHRI 209560354	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	Total
3.0 Ton	FSA3BF4M2SN36K FG7TC080DV35CP C74BHM24CB	3.0 Ton R-410A SEER2 2Stg Condenser 80MBTUH 95.1% Two-Stage Gas Furnace 3.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/2" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	16.0 SEER2 12.0 EER2
AHRI 209560355	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	21" x 20-3/4" x 48"	Total
3.0 Ton	FSA3BF4M2SN36K FG7TC100DV35CP C74BHM24CB	3.0 Ton R-410A SEER2 2Stg Condenser 100MBTUH 95.1% Two-Stage Gas Furnace 3.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/2" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	16.0 SEER2 12.0 EER2
AHRI 209560355	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	21" x 20-3/4" x 48"	Total
4.0 Ton	FSA3BF4M2SN48K FG7TC080DV35CP C74BHM24CB	4.0 Ton R-410A SEER2 2Stg Condenser 80MBTUH 95.1% Two-Stage Gas Furnace 4.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/2" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	16.0 SEER2 12.0 EER2
AHRI 209560356	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total
4.0 Ton	FSA3BF4M2SN48K FG7TC100DV35CP C74BHM24CB	4.0 Ton R-410A SEER2 2Stg Condenser 100MBTUH 95.1% Two-Stage Gas Furnace 4.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/2" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	16.0 SEER2 12.0 EER2
AHRI 209560356	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.



Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.





## 15.2/16.0 SEER2 Frigidaire 95.1% Furnace Systems with Multi-Position Coil (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
5.0 Ton 	FSA3BF4M2SN60K	5.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2
	FG7TC080DV35CP	80MBTUH 95.1% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM60CC	5.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 30-1/4"	
				Total
AHRI 209560358	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
5.0 Ton 	FSA3BF4M2SN60K	5.0 Ton R-410A SEER2 2Stg Condenser	31-3/4" x 31-3/4" x 45-1/2"	16.0 SEER2 12.0 EER2
	FG7TC100DV35CP	100MBTUH 95.1% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM60CC	5.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 30-1/4"	
				Total
AHRI 209560358	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

## FRIGIDAIRE

## 14.3 SEER2 Frigidaire Dual-Fuel 80% Furnace Systems with Multi-Position Coil

- Single stage
- Fixed speed
- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton AHRI 211239310	FSH3BE4M1SP24K	2.0 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 37-1/4"	14.3 SEER2 11 EER2 7.5 HSPF2  Total
	FG7SA045CT23AP	45MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448 Line Size:	Nortek A Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	14-1/2" x 20-3/4" x 48"	
2.0 Ton AHRI 211239310	FSH3BE4M1SP24K	2.0 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 37-1/4"	14.3 SEER2 11 EER2 7.5 HSPF2  Total
	FG7SA054CT23AP	54MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448 Line Size:	Nortek A Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	14-1/2" x 20-3/4" x 48"	
2.0 Ton AHRI 211605567	FSH3BE4M1SP24K	2.0 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 37-1/4"	14.3 SEER2 11 EER2 7.5 HSPF2  Total
	FG7SA072CT24BP	72MBTUH 80% Single-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM24CB	2.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
2.5 Ton AHRI 211239311	FSH3BE4M1SP30K	2.5 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	14.3 SEER2 11 EER2 7.5 HSPF2  Total
	FG7SA045CT23AP	45MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM30CA	2.5 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448 Line Size:	Nortek A Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	14-1/2" x 20-3/4" x 48"	
2.5 Ton AHRI 211239311	FSH3BE4M1SP30K	2.5 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	14.3 SEER2 11 EER2 7.5 HSPF2  Total
	FG7SA054CT23AP	54MBTUH 80% Single-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM30CA	2.5 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
	PLENOR1425203448 Line Size:	Nortek A Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	14-1/2" x 20-3/4" x 48"	
2.5 Ton AHRI 211605568	FSH3BE4M1SP30K	2.5 Ton R-410A SEER2 1Stg Heat Pump	31-3/4" x 31-3/4" x 41-1/4"	14.3 SEER2 11 EER2 7.5 HSPF2  Total
	FG7SA072CT24BP	72MBTUH 80% Single-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM30CB	2.5 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.



### 14.3 SEER2 Frigidaire Dual-Fuel 80% Furnace Systems with Multi-Position Coil (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
3.0 Ton AHRI 211239313	FSH3BE4M1SP36K FG7SA072CT24BP C74BHM36CB	3.0 Ton R-410A SEER2 1Stg Heat Pump 72MBTUH 80% Single-Stage Gas Furnace 3.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/4" 17-1/2" x 28" x 34-1/2" 17-1/2" x 20-3/4" x 26-3/4"	14.3 SEER2 11 EER2 7.5 HSPF2
	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	Total
3.0 Ton AHRI 211239314	FSH3BE4M1SP36K FG7SA072CT35CP C74BHM36CC	3.0 Ton R-410A SEER2 1Stg Heat Pump 72MBTUH 80% Single-Stage Gas Furnace 3.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	14.3 SEER2 11 EER2 7.5 HSPF2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	21" x 20-3/4" x 48"	Total
3.0 Ton AHRI 211239314	FSH3BE4M1SP36K FG7SA090CT35CP C74BHM36CC	3.0 Ton R-410A SEER2 1Stg Heat Pump 90MBTUH 80% Single-Stage Gas Furnace 3.0 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	14.3 SEER2 11 EER2 7.5 HSPF2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	21" x 20-3/4" x 48"	Total
3.5 Ton AHRI 211239315	FSH3BE4M1SP42K FG7SA072CT35CP C74BHM42CC	3.5 Ton R-410A SEER2 1Stg Heat Pump 72MBTUH 80% Single-Stage Gas Furnace 3.5 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	14.3 SEER2 11 EER2 7.5 HSPF2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total
3.5 Ton AHRI 211239315	FSH3BE4M1SP42K FG7SA090CT35CP C74BHM42CC	3.5 Ton R-410A SEER2 1Stg Heat Pump 90MBTUH 80% Single-Stage Gas Furnace 3.5 Ton TXV Multipoise SEER2 Cased Coil	31-3/4" x 31-3/4" x 45-1/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	14.3 SEER2 11 EER2 7.5 HSPF2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total
4.0 Ton AHRI 211605569	FSH3BE4M1SP48K FG7SA072CT35CP C74BHM48CC	3.5 Ton R-410A SEER2 1Stg Heat Pump 72MBTUH 80% Single-Stage Gas Furnace 4.0 Ton TXV Multipoise SEER2 Cased Coil	45-1/4" x 31-3/4" x 31-3/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	14.3 SEER2 11 EER2 7.5 HSPF2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total
4.0 Ton AHRI 211605569	FSH3BE4M1SP48K FG7SA090CT35CP C74BHM48CC	3.5 Ton R-410A SEER2 1Stg Heat Pump 90MBTUH 80% Single-Stage Gas Furnace 4.0 Ton TXV Multipoise SEER2 Cased Coil	45-1/4" x 31-3/4" x 31-3/4" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	14.3 SEER2 11 EER2 7.5 HSPF2
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	Total

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

## FRIGIDAIRE

## 15.2 SEER2 Frigidaire Dual Fuel 80% Furnace Systems with Multi-Position Coil

- Two stage
- Variable speed
- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton 	FSH3BF4M2SX24K	2.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 37"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
	FG7TA060CV23AP	60MBTUH 80% Two-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
AHRI 210487931	PLENOR1425203448 Line Size:	Nortek A Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	14-1/2" x 20-3/4" x 48"	
2.0 Ton 	FSH3BF4M2SX24K	2.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 37"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
	FG7TA080CV24BP	80MBTUH 80% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM24CB	2.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
AHRI 210487932	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
2.0 Ton 	FSH3BF4M2SX24K	2.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 37"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
	FG7TA060CV23AP	60MBTUH 80% Two-Stage Gas Furnace	14-1/4" x 28" x 34-1/2"	
	C74BHM24CA	2.0 Ton TXV Multipoise SEER2 Cased Coil	14-1/4" x 20-3/4" x 26-3/4"	
AHRI 211232272	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
2.0 Ton 	FSH3BF4M2SX24K	2.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 37"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
	FG7TA080CV24BP	80MBTUH 80% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM24CB	2.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
AHRI 211232276	PLENOR1425203448 Line Size:	Nortek A Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	14-1/2" x 20-3/4" x 48"	
3.0 Ton 	FSH3BF4M2SX36K	3.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 45"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
	FG7TA080CV24BP	80MBTUH 80% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	
	C74BHM36CB	3.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
AHRI 210487933	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	17-1/2" x 20-3/4" x 48"	
3.0 Ton 	FSH3BF4M2SX36K	3.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 45"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	
	C74BHM36CC	3.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 26-3/4"	
AHRI 210487934	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	


Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.




## 15.2 SEER2 Frigidaire Dual Fuel 80% Furnace Systems with Multi-Position Coil (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
4.0 Ton 	FSH3BF4M2SX48K	4.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 45"	15.2 SEER2 11.7 EER2
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	7.8 HSPF2
	C74BHM48CC	4.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 30-1/4"	
				Total
AHRI 210487935	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
5.0 Ton	FSH3BF4M2SX60K	5.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 45"	15.0 SEER2 10.9 EER2
	FG7TA100CV35CP	100MBTUH 80% Two-Stage Gas Furnace	21" x 28" x 34-1/2"	7.8 HSPF2
	C74BHM60CC	5.0 Ton TXV Multipoise SEER2 Cased Coil	21" x 20-3/4" x 26-3/4"	
				Total
AHRI 210487937	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	

## 15.2 SEER2 Frigidaire Dual Fuel 95.1% Furnace Systems with Multi-Position Coil

- Two stage
- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.0 Ton 	FSH3BF4M2SX24K	2.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 37"	15.2 SEER2 11.7 EER2
	FG7TC060DV24BP	60MBTUH 95.1% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	7.8 HSPF2
	C74BHM24CB	2.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
				Total
AHRI 210487932	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
2.0 Ton 	FSH3BF4M2SX24K	2.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 37"	15.2 SEER2 11.7 EER2
	FG7TC060DV24BP	60MBTUH 95.1% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	7.8 HSPF2
	C74BHM24CB	2.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
				Total
AHRI 211232276	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 3/4" Suction	17-1/2" x 20-3/4" x 48"	
3.0 Ton 	FSH3BF4M2SX36K	3.0 Ton R-410A SEER2 2Stg Heat Pump	31-1/2" x 31-1/2" x 45"	15.2 SEER2 11.7 EER2
	FG7TC060DV24BP	60MBTUH 95.1% Two-Stage Gas Furnace	17-1/2" x 28" x 34-1/2"	7.8 HSPF2
	C74BHM36CB	3.0 Ton TXV Multipoise SEER2 Cased Coil	17-1/2" x 20-3/4" x 26-3/4"	
				Total
AHRI 210487933	PLENOR1712207548 Line Size:	Nortek B Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	17-1/2" x 20-3/4" x 48"	

Line set pricing not included.





Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.



## 15.2 SEER2 Frigidaire Dual Fuel 95.1% Furnace Systems with Multi-Position Coil (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
3.0 Ton 	FSH3BF4M2SX36K FG7TC080DV35CP C74BHM36CC	3.0 Ton R-410A SEER2 2Stg Heat Pump 80MBTUH 95.1% Two-Stage Gas Furnace 3.0 Ton TXV Multipoise SEER2 Cased Coil	31-1/2" x 31-1/2" x 45" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
AHRI 210487934	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
3.0 Ton 	FSH3BF4M2SX36K FG7TC100DV35CP C74BHM36CC	3.0 Ton R-410A SEER2 2Stg Heat Pump 100MBTUH 95.1% Two-Stage Gas Furnace 3.0 Ton TXV Multipoise SEER2 Cased Coil	31-1/2" x 31-1/2" x 45" 21" x 28" x 34-1/2" 21" x 20-3/4" x 26-3/4"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
AHRI 210487934	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
4.0 Ton 	FSH3BF4M2SX48K FG7TC080DV35CP C74BHM48CC	4.0 Ton R-410A SEER2 2Stg Heat Pump 80MBTUH 95.1% Two-Stage Gas Furnace 4.0 Ton TXV Multipoise SEER2 Cased Coil	31-1/2" x 31-1/2" x 45" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
AHRI 210487935	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
4.0 Ton 	FSH3BF4M2SX48K FG7TC100DV35CP C74BHM48CC	4.0 Ton R-410A SEER2 2Stg Heat Pump 100MBTUH 95.1% Two-Stage Gas Furnace 4.0 Ton TXV Multipoise SEER2 Cased Coil	31-1/2" x 31-1/2" x 45" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	15.2 SEER2 11.7 EER2 7.8 HSPF2  Total
AHRI 210487935	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
5.0 Ton AHRI 210487937	FSH3BF4M2SX60K FG7TC080DV35CP C74BHM60CC	5.0 Ton R-410A SEER2 2Stg Heat Pump 80MBTUH 95.1% Two-Stage Gas Furnace 5.0 Ton TXV Multipoise SEER2 Cased Coil	31-1/2" x 31-1/2" x 45" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	15.0 SEER2 10.9 EER2 7.5 HSPF2  Total
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	
5.0 Ton AHRI 210487937	FSH3BF4M2SX60K FG7TC100DV35CP C74BHM60CC	5.0 Ton R-410A SEER2 2Stg Heat Pump 100MBTUH 95.1% Two-Stage Gas Furnace 5.0 Ton TXV Multipoise SEER2 Cased Coil	31-1/2" x 31-1/2" x 45" 21" x 28" x 34-1/2" 21" x 20-3/4" x 30-1/4"	15.0 SEER2 10.9 EER2 7.5 HSPF2  Total
	PLENOR21203448 Line Size:	Nortek C Cabinet Gas Plenum 3/8" Liquid, 7/8" Suction	21" x 20-3/4" x 48"	

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

## FRIGIDAIRE

### 14.3 SEER2 Frigidaire Air Conditioner Systems with Fan Coil

- Limited warranty (registration required):
  - 10-Year limited warranty on parts
  - 10-Year Comfort Quality Pledge



Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
1.5 Ton	FSA3BE4M1SN18K	1.5 Ton R-410A Condenser	29-1/4" x 31-1/2" x 31-1/2"	Total
	18HX5	1.5 Ton Horizontal Fan Coil	37-1/4" x 21" x 10"	
System P10427	9EVR410	1.5 - 3.0 Ton R-410A TXV		
	Line Size:	3/8" Liquid, 3/4" Suction		
1.5 Ton	FSA3BE4M1SN18K	1.5 Ton R-410A Condenser	29-1/4" x 31-1/2" x 31-1/2"	Total
	18HX6	1.5 Ton Horizontal Fan Coil	37-1/4" x 21" x 10"	
System P10427	9EVR410	1.5 - 3.0 Ton R-410A TXV		
	Line Size:	3/8" Liquid, 3/4" Suction		
1.5 Ton	FSA3BE4M1SN18K	1.5 Ton R-410A Condenser	29-1/4" x 31-1/2" x 31-1/2"	Total
	24HX6	2.0 Ton Horizontal Fan Coil	37-1/4" x 21" x 10"	
System P10459	9EVR410	1.5 - 3.0 Ton R-410A TXV		
	Line Size:	3/8" Liquid, 3/4" Suction		
1.5 Ton	FSA3BE4M1SN18K	1.5 Ton R-410A Condenser	29-1/4" x 31-1/2" x 31-1/2"	Total
	24HX8	2.0 Ton Horizontal Fan Coil	37-1/4" x 21" x 10"	
System P10459	9EVR410	1.5 - 3.0 Ton R-410A TXV		
	Line Size:	3/8" Liquid, 3/4" Suction		
1.5 Ton	FSA3BE4M1SN18K	1.5 Ton R-410A Condenser	29-1/4" x 31-1/2" x 31-1/2"	Total
	24HX10	2.0 Ton Horizontal Fan Coil	37-1/4" x 21" x 10"	
System P10459	9EVR410	1.5 - 3.0 Ton R-410A TXV		
	Line Size:	3/8" Liquid, 3/4" Suction		
2.5 Ton	FSA3BE4M1SN30K	2.5 Ton R-410A Condenser	29-1/4" x 31-1/2" x 31-1/2"	Total
	30HX8	2.5 Ton Horizontal Fan Coil	43-1/4" X 21" X 10"	
System P137360	9EVR410	1.5 - 3.0 Ton R-410A TXV		
	Line Size:	3/8" Liquid, 3/4" Suction		
2.5 Ton	FSA3BE4M1SN30K	2.5 Ton R-410A Condenser	29-1/4" x 31-1/2" x 31-1/2"	Total
	30HX10	2.5 Ton Horizontal Fan Coil	43-1/4" X 21" X 10"	
System P137360	9EVR410	1.5 - 3.0 Ton R-410A TXV		
	Line Size:	3/8" Liquid, 3/4" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.



## 14.3 SEER2 Frigidaire Air Conditioner Systems with Fan Coil (Continued)

Tonnage	Model #	Description	Dimensions W x D x H	System Ratings
2.5 Ton	FSA3BE4M1SN30K	2.5 Ton R-410A Condenser	29-1/4" x 31-1/2" x 31-1/2"	Total
	36HX10	2.5 Ton Horizontal Fan Coil	43-1/4" X 21" X 10"	
System P137363	9EVR410	1.5 - 3.0 Ton R-410A TXV		
	Line Size:	3/8" Liquid, 3/4" Suction		

Line set pricing not included.

Frigidaire systems which are not an AHRI match carry a 5-year limited warranty.

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*

## FRIGIDAIRE

### Frigidaire Air Conditioners

- Powder-coated galvanized steel cabinet with gloss finish
- Composite base pan
- Permanently-lubricated motors
- Removable top grille assembly in 1-piece top/orifice
- High & Low pressure switches
- All-aluminum micro-channel coils
- Easy compressor and control access
- Compressor sound blanket
- Swept-wing fan blade
- Electrical: 208/230-1-60
- Includes liquid line filter-drier for field installation
- ecoLogic Equipment
- AHRI Certified
- cETLus Listed
- Energy Star® rated
- Limited warranty (registration required)
  - 10-Year limited warranty on all parts
  - 10-Year Quality Pledge



### 20 SEER R-410A FSA1BG F-Series iQ Drive® Ultra High Efficiency Variable-Speed Air Conditioner

- iQ Drive® inverter driven rotary compressor provides full variable operation
- Interface control board with 2-digit LED
- High efficiency with low sound levels



Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER	Approx Ship Wt
FSA1BG4MVRN24KP	2.0	24,000	3/8", 3/4"	22-1/2" x 22-1/2" x 37"	20	174 lbs
FSA1BG4MVRN36KP	3.0	36,000	3/8", 7/8"	30-1/2" x 30-1/2" x 37"	20	229 lbs
FSA1BG4MVRN48KP	4.0	48,000	3/8", 7/8"	30-1/2" x 30-1/2" x 45"	20	259 lbs
FSA1BG4MVRN60KP	5.0	60,000	3/8", 7/8"	30-1/2" x 30-1/2" x 45"	20	274 lbs

### 16 SEER R-410A FSA1BF F-Series 2-Stage Air Conditioner

- Copeland Scroll™ UltraTech™ compressor with CoreSense™ compressor protection

Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER	Approx Ship Wt
FSA1BF4M2SN24KP	2.0	24,000	3/8", 3/4"	23-3/4" x 23-3/4" x 36-1/2"	16	141 lbs
FSA1BF4M2SN36KP	3.0	36,000	3/8", 7/8"	31-3/4" x 31-3/4" x 37-1/4"	16	210 lbs
FSA1BF4M2SN48KP	4.0	48,000	3/8", 7/8"	31-3/4" x 31-3/4" x 41-1/4"	16	242 lbs
FSA1BF4M2SN60KP	5.0	60,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	16	264 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.

## FRIGIDAIRE

## Frigidaire SEER2 Air Conditioners

- Powder-coated galvanized steel cabinet with gloss finish
- Composite base pan
- Permanently-lubricated motors
- Removable top grille assembly in 1-piece top/orifice
- High pressure switch
- All-aluminum coils
- Easy compressor and control access
- Swept-wing fan blade
- Electrical: 208/230-1-60
- Includes liquid line filter-drier for field installation
- AHRI Certified
- cETLus Listed
- Energy Star® rated
- Limited warranty (registration required)
  - 10-Year limited warranty on all parts
  - 10-Year Quality Pledge



## 15.2 SEER2 R-410A FSA3BF F-Series 2-Stage Air Conditioner

- Copeland Scroll™ 2-stage compressor
- Compressor sound blanket
- Low pressure switch

Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER2	Approx Ship Wt
FSA3BF4M2SN24K	2.0	24,000	3/8", 3/4"	31-3/4" x 31-3/4" x 29-1/2"	15.2	153 lbs
FSA3BF4M2SN36K	3.0	36,000	3/8", 3/4"	31-3/4" x 31-3/4" x 45-1/2"	15.2	208 lbs
FSA3BF4M2SN48K	4.0	48,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/2"	15.2	240 lbs
FSA3BF4M2SN60K	5.0	60,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/2"	15.2	246 lbs

## Up to 14.3 SEER2 R-410A FSA3BE F-Series High Efficiency Single-Stage Air Conditioner

- Copeland™ scroll compressor (2-Stage in 5.0 Ton model)

Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER2	Approx Ship Wt
FSA3BE4M1SN18K	1.5	18,000	3/8", 3/4"	31-3/4" x 31-3/4" x 29-1/4"	14.3	187 lbs
FSA3BE4M1SN24K	2.0	24,000	3/8", 3/4"	31-3/4" x 31-3/4" x 29-1/4"	14.3	192 lbs
FSA3BE4M1SN30K	2.5	30,000	3/8", 3/4"	31-3/4" x 31-3/4" x 29-1/4"	14.3	197 lbs
FSA3BE4M1SN36K	3.0	36,000	3/8", 3/4"	31-3/4" x 31-3/4" x 41-1/4"	14.3	225 lbs
FSA3BE4M1SN42K	3.5	42,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	14.3	273 lbs
FSA3BE4M1SN48K	4.0	48,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	13.8	264 lbs
FSA3BE4M2SN60KA	5.0	60,000	3/8", 7/8"	31-1/2" x 31-1/2" x 45-1/4"	13.8	250 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*

## FRIGIDAIRE

### Frigidaire Heat Pumps

- Powder-coated galvanized steel cabinet with gloss finish
- Composite base pan
- Permanently-lubricated motors
- Removable top grille assembly
- High pressure switch
- Low pressure switch
- 1-Piece top/orifice
- Easy compressor and control access
- All-aluminum micro-channel coils
- Swept-wing fan blade
- Electrical: 208/230-1-60
- Includes liquid line filter-drier for field installation
- AHRI Certified
- Energy Star® rated (excluding FT4BD)
- cETLus Listed
- Limited warranty (registration required)
  - 10-Year limited warranty on all parts
  - 10-Year Quality Pledge



FSH1



### Up to 19 SEER R-410A FSH1BG F-Series iQ Drive® Ultra High Efficiency Variable Speed Heat Pump

- iQ Drive® inverter driven rotary compressor provides full variable operation
- Interface control board with 2-digit LED
- High efficiency with low sound levels
- Compressor sound blanket
- Discharge muffler to reduce compressor noise
- Common suction service port
- Suction accumulator
- Service-friendly jacket
- ecoLogic® Equipment



Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER	Approx Ship Wt
FSH1BG4CVRX24KP	2.0	24,000	3/8", 3/4"	31-3/4" x 31-3/4" x 37-1/4"	19	239 lbs
FSH1BG4CVRX36KP	3.0	36,000	3/8", 7/8"	31-3/4" x 31-3/4" x 41-1/4"	19	309 lbs
FSH1BG4CVRX48KP	4.0	48,000	3/8", 7/8"	31-3/4" x 31-3/4" x 41-1/4"	18	303 lbs
FSH1BG4CVRX60KP	5.0	60,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	18	304 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.



\*\*\* WHILE SUPPLIES LAST \*\*\*

## FRIGIDAIRE

**16 SEER R-410A FSH1BF F-Series 2-Stage Heat Pump**

- CoreSense™ compressor protection
- Copeland Scroll™ UltraTech™ compressor
- Compressor sound blanket
- 5-Minute restart time delay
- ecoLogic® Equipment



Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER	Approx Ship Wt
FSH1BF4M2SX24KP	2.0	24,000	3/8", 3/4"	31-3/4" x 31-3/4" x 37-1/4"	16	212 lbs
FSH1BF4M2SX36KP	3.0	36,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	16	225 lbs
FSH1BF4M2SX48KP	4.0	48,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	16	247 lbs
FSH1BF4M2SX60KP	5.0	60,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	16	249 lbs

**14 SEER R-410A FSH1BE F-Series Single-Stage Heat Pump**

- Fixed orifice
- 5-Minute restart time delay

Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER	Approx Ship Wt
FSH1BE4M1SP30KP	2.5	30,000	3/8", 3/4"	31-3/4" x 31-3/4" x 41-1/4"	14	220 lbs
FSH1BE4M1SP42KP	3.5	42,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	14	245 lbs
FSH1BE4M1SP60KP	5.0	60,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	14	249 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.

## FRIGIDAIRE

### Frigidaire SEER2 Heat Pumps

- Powder-coated galvanized steel cabinet with gloss finish
- Composite base pan
- Permanently-lubricated motors
- Removable top grille assembly in 1-piece top/orifice
- High & Low pressure switches
- All-aluminum coils
- 5-Minute restart time delay
- Easy compressor and control access
- Swept-wing fan blade
- Electrical: 208/230-1-60
- Includes liquid line filter-drier for field installation
- AHRI Certified
- Energy Star® rated
- cETLus Listed
- Limited warranty (registration required)
  - 10-Year limited warranty on all parts
  - 10-Year Quality Pledge



### 15.2 SEER2 R-410A FSH3BF F-Series Extra High Efficiency Two-Stage Heat Pump

- Copeland™ scroll compressor with hot gas muffler
- Suction accumulator

Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER2	Approx Ship Wt
FSH3BF4M2SX24K	2.0	24,000	3/8", 3/4"	31-1/2" x 31-1/2" x 37"	15.2	193 lbs
FSH3BF4M2SX36K	3.0	36,000	3/8", 7/8"	31-1/2" x 31-1/2" x 45"	15.2	221 lbs
FSH3BF4M2SX48K	4.0	48,000	3/8", 7/8"	31-1/2" x 31-1/2" x 45"	15.2	253 lbs
FSH3BF4M2SX60K	5.0	60,000	3/8", 7/8"	31-1/2" x 31-1/2" x 45"	15.2	254 lbs

### 14.3 SEER2 R-410A FSH3BE F-Series High Efficiency Single-Stage Heat Pump

- Copeland™ scroll compressor (2-Stage in 5.0 Ton models)

Model Number	Tons	Nom Cap BTUH	Line Sets 0' to 24' Liq, Suct	Unit Dimensions W x D x H	SEER2	Approx Ship Wt
FSH3BE4M1SP18K	1.5	18,000	3/8", 3/4"	31-3/4" x 31-3/4" x 33-1/4"	14.3	167 lbs
FSH3BE4M1SP24K	2.0	24,000	3/8", 3/4"	31-3/4" x 31-3/4" x 37-1/4"	14.3	172 lbs
FSH3BE4M1SP30K	2.5	30,000	3/8", 3/4"	31-3/4" x 31-3/4" x 41-1/4"	14.3	177 lbs
FSH3BE4M1SP36K	3.0	36,000	3/8", 3/4"	31-3/4" x 31-3/4" x 45-1/4"	14.3	202 lbs
FSH3BE4M1SP42K	3.5	42,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	14.3	249 lbs
FSH3BE4M1SP48K	4.0	48,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	14.3	249 lbs
FSH3BE4M2SX60K	5.0	60,000	3/8", 7/8"	31-3/4" x 31-3/4" x 45-1/4"	14.3	249 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.

## FRIGIDAIRE

## 90+% Frigidaire Gas Furnaces

- Electrical: 115-1-60
- Limited warranty (registration required)
  - Lifetime limited warranty on heat exchanger
  - 10-Year limited warranty on all parts
  - 10-Year Quality Pledge



## 95.1% FG7TC Upflow/Horizontal 2-Stage iQ Drive® Variable-Speed ECM Condensing Gas Furnace

- ecoLogic® Equipment
- iSEER® Energy efficient brushless DC motor
- 100% Fired and tested
- Unique corner post design
- 30-Second blower delay and post-purge
- Adjustable 60-, 90-, 120- or 180-second blower-off settings
- 2-Stage inducer
- Smartlite® silicon nitride hot surface igniter
- Color-coded wire harness
- Flexible category IV venting system
- High static blower
- Dimensions: 34-1/2"H x 28"D
- Heavy-gauge, aluminized steel tubular primary and stainless steel secondary heat exchanger
- 90-Second fixed cooling cycle blower-off delay
- LP Convertible
- Diagnostic lights for easy troubleshooting without counting flashes
- Integrated control board with connections for electronic air cleaner and humidifier
- 2-Piece door design
- Insulated blower compartment with sealed door
- Sealed vestibule
- Compatible with iQ Drive® thermostat (sold separately)
- Complies with Energy Star® cabinet air leakage requirement of less than or equal to 2%
- AHRI Certified
- CSA Certified™
- Energy Star® rated



Model Number	Tons	Input BTUH	Heat Cap BTUH	Motor HP - Speeds - Type	Width	Approx Ship Wt
FG7TC060DV24BP	2.0 - 4.0	60,000/39,000	57,000/37,000	1/2-VS-ECM	17-1/2"	125 lbs
FG7TC080DV35CP	3.0 - 5.0	80,000/52,000	76,000/49,000	3/4-VS-ECM	21"	135 lbs
FG7TC100DV35CP	3.0 - 5.0	100,000/65,000	95,000/62,000	3/4-VS-ECM	21"	145 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.

## FRIGIDAIRE

### 80+% Frigidaire Gas Furnaces

- Electrical: 115-1-60
- Dimensions: 34-1/2"H x 28"D
- Limited warranty (registration required)
  - Lifetime limited warranty on heat exchanger
  - 10-Year limited warranty on all parts
  - 10-Year Quality Pledge



### 80% FG7TA Upflow/Horizontal 2-Stage Variable-Speed ECM Gas Furnace

- iSEER® Energy-efficient brushless DC motor
- 100% Fired and tested
- Unique corner post design
- 30-Second blower delay and post-purge
- Adjustable 60-, 90-, 120- or 180-second blower-off settings
- Smartlite® silicon nitride hot surface igniter
- Color-coded wire harness
- Flexible category I venting system
- High static blower
- Lowboy height
- Heavy-gauge, aluminized steel tubular heat exchanger
- 90-Second fixed cooling cycle blower-off delay
- LP Convertible
- Diagnostic lights for easy troubleshooting without counting flashes
- Integrated control board with connections for electronic air cleaner and humidifier
- 2-Piece door design
- Insulated blower compartment
- Complies with Energy Star® cabinet air leakage requirement of less than or equal to 2%
- AHRI Certified
- CSA Certified™



Model Number	Tons	Input BTUH	Heat Cap BTUH	Motor HP - Speeds - Type	Width	Approx Ship Wt
FG7TA060CV23AP	2.0 - 3.0	60,000/39,000	48,000/31,200	1/2-VS-ECM	14-1/4"	115 lbs
FG7TA080CV24BP	2.0 - 4.0	80,000/52,000	64,000/41,600	1/2-VS-ECM	17-1/2"	110 lbs
FG7TA100CV35CP	3.0 - 5.0	100,000/65,000	80,000/52,000	3/4-VS-ECM	21"	125 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.

## FRIGIDAIRE

### 80% FG7SA Upflow/Horizontal Single-Stage ECM Gas Furnace

- 100% Fired and tested
- Unique corner post design
- 30-Second blower delay and post-purge
- Adjustable 60-, 90-, 120- or 180-second blower-off settings
- Smartlite® silicon nitride hot surface igniter
- Color-coded wire harness
- Flexible category I venting system
- High static blower
- Lowboy height
- Heavy-gauge, aluminized steel tubular heat exchanger
- 90-Second fixed cooling cycle blower-off delay
- High efficiency blower kits available (sold separately)
- LP Convertible
- Diagnostic lights for easy troubleshooting without counting flashes
- Integrated control board with connections for electronic air cleaner and humidifier
- 2-Piece door design
- Insulated blower compartment
- Complies with Energy Star® cabinet air leakage requirement of less than or equal to 2%
- AHRI Certified
- CSA Certified™



Model Number	Tons	Input BTUH	Heat Cap BTUH	Motor HP - Speeds - Type	Width	Approx Ship Wt
FG7SA045CT23AP	2.0 - 3.0	45,000	36,000	1/2-5-ECM	14-1/4"	95 lbs
FG7SA054CT23AP	2.0 - 3.0	52,000	43,200	1/2-5-ECM	14-1/4"	95 lbs
FG7SA072CT24BP	2.0 - 4.0	72,000	57,600	3/4-5-ECM	17-1/2"	110 lbs
FG7SA072CT35CP	3.0 - 5.0	72,000	57,600	3/4-5-ECM	21"	115 lbs
FG7SA090CT35CP	3.0 - 5.0	90,000	72,000	3/4-5-ECM	21"	115 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*



## B6VM Series Air Handlers

- For heat pumps and air conditioners
- Control board controls time-sequencing of heat stages
- ECM Variable-speed motor provides (16) field-selectable cooling airflows and automatically sets heating airflows based on amount of heat installed
- Galvanized steel cabinet with polyurethane finish
- Extra quiet and smooth blower on and off cycles
- Factory-installed thermal expansion valve
- Breaker accessible from front of unit when heater is applied
- Plug-in heater kits
- Built-in filter rack
- Plastic drain pan
- No fasteners on sides or back
- 1" Cabinet insulation with R-4.2 value
- Electrical: 208/230-1-60
- AHRI Certified
- cETLus Listed
- Limited warranty (registration required)
  - 10-Year limited warranty on all parts



## Variable Speed Series Microchannel Coil Air Handlers

- Up to 16 SEER R-410A B6VMMX Multi-Position Variable-Speed ECM TXV Air Handler
- All-aluminum Anteater MC™ microchannel coil

Model Number	Motor HP - Speeds - Type	Nom Cap BTUH	Line Sets Liq, Suct	Dimensions W x D x H	Filter Size	Approx Ship Wt
B6VMMX24KBP	1/2-VS-ECM	24,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	105 lbs
B6VMMX30KBP	1/2-VS-ECM	30,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	107 lbs
B6VMMX36KBP	1/2-VS-ECM	36,000	3/8", 7/8"	19-3/4" x 22" x 49-1/2"	18" x 20" x 1"	110 lbs
B6VMMX42KBP	1/2-VS-ECM	42,000	3/8", 7/8"	19-3/4" x 22" x 49-1/2"	18" x 20" x 1"	117 lbs
B6VMMX60KCP	3/4-VS-ECM	60,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	140 lbs

## Variable Speed Series Air Handlers

- Up to 19 SEER R-410A B6VMAX Multi-Position Variable-Speed ECM Air Handler
- Anteater™ Coil Technology: copper alloy with zinc additives to stop formicary corrosion

Model Number	Motor HP - Speeds - Type	Nom Cap BTUH	Line Sets Liq, Suct	Dimensions W x D x H	Filter Size	Approx Ship Wt
B6VMAX24KBP	1/2-VS-ECM	24,000	3/8", 7/8"	19-3/4" x 22" x 49-1/2"	18" x 20" x 1"	120 lbs
B6VMAX36KBP	1/2-VS-ECM	36,000	3/8", 7/8"	19-3/4" x 22" x 49-1/2"	18" x 20" x 1"	140 lbs
B6VMAX48KCP	3/4-VS-ECM	48,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	170 lbs
B6VMAX60KCP	3/4-VS-ECM	60,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	170 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.




\*\*\* WHILE SUPPLIES LAST \*\*\*



### B6BM Series Air Handlers

- For heat pumps and air conditioners
- Galvanized steel with polyester urethane finish cabinet
- Multi-speed flexibility of installation: 3-, 4- or 5-speed
- Built-in filter rack
- Plug-in wire connections and heater kits
- Control board controls time sequencing of heat stages
- Breaker accessible from front of unit when heater is applied
- Plastic drain pan
- No fasteners on sides or back
- 1" Cabinet insulation with R-4.2 value
- All-aluminum microchannel coil
- Electrical: 208/230-1-60
- AHRI Certified
- cETLus Listed
- Limited warranty (registration required)
  - 5-Year limited warranty on all parts



### TXV Series Air Handlers

- Up to 14 SEER R-410A B6BMMX Multi-Position Multi-Speed TXV Air Handler
- Factory installed thermal expansion valve

Model Number	Motor HP - Speeds - Type	Nom Cap BTUH	Line Sets Liq, Suct	Dimensions W x D x H	Filter Size	Approx Ship Wt
B6BMMX24KBP	1/5-3-PSC	24,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	107 lbs
B6BMMX30KBP	1/3-3-PSC	30,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	110 lbs
B6BMMX48KCP	1/2-3-PSC	48,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	150 lbs

### Fixed Orifice Series Air Handlers

- R-410A B6BMMO Multi-Position Multi-Speed PSC Piston Air Handler

Model Number	Motor HP - Speeds - Type	Nom Cap BTUH	Line Sets Liq, Suct	Dimensions W x D x H	Filter Size	Approx Ship Wt
B6BMM024KAP	1/5-3-PSC	24,000	3/8", 3/4"	14-1/2" x 22" x 43-1/2"	12" x 20" x 1"	98 lbs
B6BMM024KBP	1/5-3-PSC	24,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	98 lbs
B6BMM030KAP	1/3-3-PSC	30,000	3/8", 3/4"	14-1/2" x 22" x 43-1/2"	12" x 20" x 1"	82 lbs
B6BMM030KBP	1/3-3-PSC	30,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	101 lbs
B6BMM042KBP	1/3-3-PSC	42,000	3/8", 7/8"	19-3/4" x 22" x 49-1/2"	18" x 20" x 1"	119 lbs
B6BMM060KCP	3/4-5-BLDC	60,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	142 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.



## B64VMM Series SEER2 Variable Speed Air Handlers

- For heat pumps and air conditioners
- Multipositional
- Galvanized steel cabinet with polyurethane finish
- Extra quiet and smooth blower on and off cycles
- Reduced air stratification
- Built-in filter rack
- Plug-in heater kits
- ECM Variable-speed motor provides (16) field-selectable cooling airflows and automatically sets heating airflows based on amount of heat installed
- Circuit board incorporating blower time delay relay, low voltage terminal strip, and heat-strip sequencing.
- Breaker accessible from front of unit when heater is applied
- All-aluminum microchannel coil
- Plastic drain pan
- No fasteners on sides or back
- 1" Cabinet insulation with R-4.2 value
- Electrical: 208/230-1-60
- AHRI Certified
- cETLus Listed
- Limited warranty (registration required)
  - 10-Year limited warranty on all parts



## SEER2 R-410A B64VMMX Multi-Position Microchannel Coil TXV Air Handlers

- Factory installed thermal expansion valve

Model Number	Motor HP - Speeds - Type	Nom Cap BTUH	Line Sets Liq, Suct	Dimensions W x D x H	Filter Size	Approx Ship Wt
B64VMMX24KA	1/2-VS-ECM	24,000	3/8", 3/4"	14-1/4" x 22" x 43-1/2"	12" x 20" x 1"	99.5 lbs
B64VMMX24KB	1/2-VS-ECM	24,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	112 lbs
B64VMMX36KB	1/2-VS-ECM	36,000	3/8", 7/8"	19-3/4" x 22" x 49-1/2"	18" x 20" x 1"	122 lbs
B64VMMX48KC	3/4-VS-ECM	48,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	145 lbs
B64VMMX60KC	1-VS-ECM	60,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	147 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.



### B64BMM Series SEER2 Multi-Speed Air Handlers

- For heat pumps and air conditioners
- Multipositional
- Galvanized steel with polyester urethane finish cabinet
- Multi-speed flexibility of installation: 3-, 4- or 5-speed
- Built-in filter rack
- Plug-in wire connections and heater kits
- Circuit board incorporating blower time delay relay, low voltage terminal strip, and heat-strip sequencing.
- Control board controls time sequencing of heat stages
- Breaker accessible from front of unit when heater is applied
- Corrosion-resistant plastic drain pan
- No fasteners on sides or back
- 1" Cabinet insulation with R-4.2 value
- All-aluminum microchannel coil
- Electrical: 208/230-1-60
- AHRI Certified
- cETLus Listed
- Limited warranty (registration required)
  - 10-Year limited warranty on all parts



### SEER2 R-410A B64BMMX Multi-Position Microchannel Coil TXV Air Handlers

- Factory installed thermal expansion valve

Model Number	Motor HP - Speeds - Type	Nom Cap BTUH	Line Sets Liq, Suct	Dimensions W x D x H	Filter Size	Approx Ship Wt
B64BMMX18KA	1/5-MS-PSC	18,000	3/8", 3/4"	14-1/2" x 22" x 43-1/2"	12" x 20" x 1"	98 lbs
B64BMMX24KA	1/5-MS-PSC	24,000	3/8", 3/4"	14-1/2" x 22" x 43-1/2"	12" x 20" x 1"	98 lbs
B64BMMX24KB	1/3-MS-PSC	24,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	110 lbs
B64BMMX30KB	1/3-MS-PSC	30,000	3/8", 3/4"	19-3/4" x 22" x 43-1/2"	18" x 20" x 1"	110 lbs
B64BMMX36KB	1/3-MS-PSC	36,000	3/8", 3/4"	19-3/4" x 22" x 49-1/2"	18" x 20" x 1"	133 lbs
B64BMMX42KC	1/2-MS-PSC	42,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	145.5 lbs
B64BMMX48KC	1/2-MS-PSC	48,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	145.5 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.



## B64EMM Series SEER2 Fixed Speed Air Handlers

- For heat pumps and air conditioners
- Multipositional
- Galvanized steel cabinet with polyurethane finish
- Extra quiet and smooth blower on and off cycles
- Reduced air stratification
- Built-in filter rack
- Plug-in heater kits
- ECM Fixed-speed motor provides (16) field-selectable cooling airflows and (16) field-selectable heating airflows to match any application
- Circuit board incorporating blower time delay relay, low voltage terminal strip, and heat-strip sequencing.
- Breaker accessible from front of unit when heater is applied
- All-aluminum microchannel coil
- Plastic drain pan
- No fasteners on sides or back
- 1" Cabinet insulation with R-4.2 value
- Electrical: 208/230-1-60
- AHRI Certified
- cETLus Listed
- Limited warranty (registration required)
  - 10-Year limited warranty on all parts



## SEER2 R-410A B64EMMX Multi-Position Microchannel Coil TXV Air Handlers

- Factory installed thermal expansion valve

Model Number	Motor HP - Speeds - Type	Nom Cap BTUH	Line Sets Liq, Suct	Dimensions W x D x H	Filter Size	Approx Ship Wt
B64EMMX48KC	1-16-ECM	48,000	3/8", 7/8"	22-1/2" x 22" x 56"	20" x 20" x 1"	145 lbs

\*Non-Stock Item

Refer to Installation Manual for specific details.

\*\*\* WHILE SUPPLIES LAST \*\*\*




## C7 Series Evaporator Coils

- All-aluminum micro-channel coils
- Same size as tube-in-fin coils, but approximately half the weight
- Eliminates formicary and galvanic corrosion
- AHRI Certified
- cETLus Listed
- Limited warranty (registration required):
  - 10-Year limited warranty on parts



Cased



Uncased



## TXV Multiposition Evaporator Coils

- R-410A C7 Indoor Coil with TXV Metering Horizontal Multi-Position Cased A-Coil

Model Number	Tons	Line Set Liquid, Suction	Airflow	Dimensions W x D x H
C7BHM24CAP	2.0	3/8", 3/4"	800 CFM	14-1/4" x 20-3/4" x 18-1/2"
C7BHM24CBP	2.0	3/8", 3/4"	800 CFM	17-1/2" x 20-3/4" x 26-3/4"
C7BHM30CBP	2.5	3/8", 3/4"	1000 CFM	17-1/2" x 20-3/4" x 26-3/4"
C7BHM36CCP	3.0	3/8", 7/8"	1200 CFM	21" x 20-3/4" x 26-3/4"
C7BHM42CCP	3.5	3/8", 7/8"	1400 CFM	21" x 20-3/4" x 26-3/4"

## Fixed Orifice Multiposition Evaporator Coils

- R-410A C7BH C7 Indoor Coil with Orifice Metering Horizontal Multi-Position Cased A-Coil
- Thermal expansion valve kits available (sold separately)

Model Number	Tons	Line Set Liquid, Suction	Airflow	Dimensions W x D x H
C7BHM01824CAP	1.5 - 2.0	3/8", 3/4"	800/800 CFM	14-1/4" x 20-3/4" x 26-3/4"
C7BHM048CCP	4.0	3/8", 7/8"	1600 CFM	21" x 20-3/4" x 30-1/4"
C7BHM060CCP	5.0	3/8", 7/8"	2000 CFM	21" x 20-3/4" x 30-1/4"

\*Non-Stock Item

Refer to Installation Manual for specific details.



## C74 Series SEER2 Evaporator Coils

- All-aluminum microchannel coils
- Same size as tube-in-fin coils, but approximately half the weight
- Eliminates formicary and galvanic corrosion
- Multipositional
- AHRI Certified
- cETLus Listed
- Limited warranty (registration required):
  - 10-Year limited warranty on parts



### SEER2 R-410A C74B TXV Metering Multi-Position Cased A-Coil

Model Number	Tons	Nom Cap BTUH	Airflow	Line Set Liquid, Suction	Dimensions W x D x H
C74BHMx24CA	2.0	24,000	800 CFM	3/8", 3/4"	14-1/4" x 20-3/4" x 26-3/4"
C74BHMx24CB	2.0	24,000	800 CFM	3/8", 3/4"	17-1/2" x 20-3/4" x 26-3/4"
C74BHMx30CA	2.5	30,000	1000 CFM	3/8", 3/4"	14-1/4" x 20-3/4" x 26-3/4"
C74BHMx30CB	2.5	30,000	1000 CFM	3/8", 3/4"	17-1/2" x 20-3/4" x 26-3/4"
C74BHMx36CB	3.0	36,000	1200 CFM	3/8", 7/8"	17-1/2" x 20-3/4" x 26-3/4"
C74BHMx36CC	3.0	36,000	1200 CFM	3/8", 7/8"	21" x 20-3/4" x 26-3/4"
C74BHMx42CC	3.5	42,000	1400 CFM	3/8", 7/8"	21" x 20-3/4" x 26-3/4"
C74BHMx48CC	4.0	48,000	1600 CFM	3/8", 7/8"	21" x 20-3/4" x 30-1/4"
C74BHMx60CC	5.0	60,000	2000 CFM	3/8", 7/8"	21" x 20-3/4" x 30-1/4"

\*Non-Stock Item


Refer to Installation Manual for specific details.





## Horizontal Recessed Ceiling Fan Coils

- Insulated, sloped, coated galvanized steel drain pan has 3/4" NPT primary and secondary (overflow) fittings
- 240V Motor, 24V controls
- High efficiency copper tube/aluminum fin heating and cooling coils
- Cooling coil has a piston-type metering device or R-410A TXV (non-bleed type)
- Cabinet air leakage of no more than 2% when tested in accordance with ASHRAE 193
- Includes 240/24V transformer
- Completely pre-wired with 0 - 10kW of electric heat
- Electrical: 208/240-1-60
- cETLus Listed



## R-410A HX Horizontal Recessed Ceiling Uncased ECM Fan Coil

Mfg #	Tons	Heat kW	Heat BTUH	Airflow	Dimensions H x W x D	Approx Ship Wt
18HX5	1.5	5kW	17,000	600 CFM	10" x 37-1/4" x 21"	58 lbs
18HX6	1.5	6kW	20,500	600 CFM	10" x 37-1/4" x 21"	58 lbs
24HX6	2.0	6kW	20,500	800 CFM	10" x 37-1/4" x 21"	63 lbs
24HX8	2.0	8kW	27,300	800 CFM	10" x 37-1/4" x 21"	63 lbs
24HX10	2.0	10kW	34,100	800 CFM	10" x 37-1/4" x 21"	63 lbs
30HX8	2.5	8kW	27,300	1000 CFM	10" x 43-1/4" x 21"	71 lbs
30HX10	2.5	10kW	34,100	1000 CFM	10" x 43-1/4" x 21"	71 lbs
36HX10	3.0	10kW	34,100	1200 CFM	10" x 49-1/4" x 21"	85 lbs

Line set over 24 feet long are subject to change line size diameter on certain models.

Refer to Installation Manual for specific details.



## FRIGIDAIRE

## Electric Heat Kits

## H8HK Electric Heat Kit

Part #	kW Heat	Electrical
H8HK005H11	5kW	240-1-60
H8HK008H11	8kW	240-1-60
H8HK010H11	10kW	240-1-60
H8HK015H21	15kW	240-1-60
H8HK020H21	20kW	240-1-60

## R-410A TXV Kits

Part #	Description
920668A	2.0 Ton R-410A TXV Kit
920669A	2.5 Ton R-410A TXV Kit
920670A	3.0 Ton R-410A TXV Kit
920671A	3.5 Ton R-410A TXV Kit
920672A	4.0 Ton R-410A TXV Kit
920673A	5.0 Ton R-410A TXV Kit

## TXV Tube Kit for Converting C7BHM0 Coils To TXV

Part #	Description
921824	1824-A Tube Kit for A Cabinet Coil
921825	1828-B Tube Kit for B Cabinet Coil
921828	3648-C Tube Kit for C Cabinet Coil
921829	TXV Tube Kit for 48C and 60C C Cabinet Coil

\*Non-Stock Item

Refer to Installation Manual for specific details.

[illegible]

44

**Prices and Specifications are Subject to Change.**



## Product Index

### A

<b>Air Conditioners</b> Frigidaire.....	27-28
<b>Air Handlers</b>	
Nordyne.....	38
Nortek Global HVAC.....	35-37, 39

### C

<b>Coils</b>	
First Company Fan.....	42
Nortek Global HVAC Evaporator.....	40-41
<b>Condensing Units</b> Frigidaire.....	27-28

### D

<b>Dual-Fuel Systems</b> Frigidaire.....	20-24
--	-------

### E

<b>Electric Heat Kits</b> Frigidaire.....	43
<b>Evaporator Coils</b> Nortek Global HVAC.....	40-41

### F

<b>Fan Coils</b> First Company.....	42
<b>First Company</b> Fan Coils.....	42
<b>Frigidaire</b>	
Air Conditioners.....	27-28
Electric Heat Kits.....	43
Gas Furnaces.....	32-34
Heat Pumps.....	29-31
<b>Furnaces</b> Frigidaire Gas.....	32-34

### G

<b>Gas Furnaces</b> Frigidaire.....	32-34
-------------------------------------	-------

### H

<b>Heat Kits</b> Frigidaire Electric.....	43
<b>Heat Pumps</b> Frigidaire.....	29-31

### N

<b>Nordyne</b> Air Handlers.....	38
<b>Nortek Global HVAC</b>	
Air Handlers.....	35-37, 39
Evaporator Coils.....	40-41

### S

<b>Systems</b> Frigidaire Dual-Fuel.....	20-24
--	-------

# INSTALL KITS

**AC** SUPPLY  
CO.

## AIR HANDLER

SOLDER 15% SIL PHOS .050	2
AQUA GUARD CLIP-ON FLOAT SAFETY SWITCH	1
SAFE-T-SWITCH CONDENSATE OVERFLOW CONTROL	1
1 1/2 ROMEX CONNECTOR FOR 1 1/2 KNOCKOUT	1
PVC FTG 3/4 FEMALE PIPE ADAPTER	1
PVC FTG 3/4 90 ELBOW	4
PVC FTG 3/4 COUPLING	2
PVC FTG 3/4 MALE PIPE ADAPTER	2
3/8 ROMEX CONNECTOR	1
BLUE WIRE NUT	8
COPPER FTG 3/4 90ST ELL LR	1
COPPER FITTING 3/8" COUPLING	1
COPPER FITTING 7/8" LONG RADIUS STREET ELBOW	1
ARMAFLEX 3/4" ID X 3/4" OD X 6'	1
ONE FOOT OF MESH SAND CLOTH	1

**AHKIT**

**TOTAL 70.00**

## OUTDOOR

SOLDER 15% SIL PHOS .050	2
3/4" X 6' WHIP	1
DISCONNECT 60 AMP NON FUSED	1
LOCKING REFRIGERANT SAFETY CAP	2
3/4 EMT ONE HOLE STRAP	2
K-FLEX TITAN 3/4" ID X 3/4" OD X 6'	1
COPPER FITTING 3/8" COUPLING	1
COPPER FITTING 3/4" COUPLING	1
COPPER FITTING 3/4" LONG RADIUS STREET ELBOW	1
COPPER FITTING 7/8" COUPLING	1
COPPER FITTING 7/8" LONG RADIUS STREET ELBOW	1
1/4 X 1 SCREW AND PLASTIC ANCHOR	4
BLUE BIG WIRE NUT WINGED	3
BLUE WIRE NUT	8
ONE FOOT OF MESH SAND CLOTH	1

**ODUKIT**

**TOTAL 100.00**

SAVE  
SAVE  
SAVE

**TIME**

**PRODUCTS**

**SPACE**

INCLUDE AN INSTALL KIT WITH EVERY  
EQUIPMENT ORDER AND SAVE!

## FURNACE

BLACK PIPE FITTING 1/2" X 1/2" X 1/2" TEE	PIPE
BLACK PIPE NIPPLE 1/2" X 3"	1
BLACK PIPE NIPPLE 1/2" X 8"	2
BLACK PIPE NIPPLE 1/2" X 12"	1
BLACK PIPE FITTING 1/2" COUPLING	2
BLACK PIPE FITTING 1/2" STREET ELBOW	1
BLACK PIPE FITTING 1/2" TREADED CAP	1
BLACK PIPE FITTING 1/2" 90 DEGREE ELBOW	1
YELLOW WIRE NUT	5
BLUE WIRE NUT	5
GAS FLEX CONNECTOR 36"	1
YELLOW HANDLE 1/2" GAS STOP	1
VENT PIPE 4" 90 DEG. ELL	2
VENT PIPE 4" X 18"	1
VENT PIPE 4" X 12" ADJ	1
SOLDER 15% SIL PHOS .050	2
3/8 ROMEX CONNECTOR	2
PVC FTG 3/4 90 ELBOW	4
PVC FTG 3/4 COUPLING	2
PVC FTG 3/4 TEE SLIP	1
PVC FTG 3/4 MALE PIPE ADAPTER	2
PVC FTG 3/4 FEMALE PIPE ADAPTER	1
COPPER FITTING 3/8" COUPLING	1
COPPER FITTING 3/4" LONG RADIUS STREET ELBOW	1
COPPER FITTING 7/8" LONG RADIUS STREET ELBOW	1
ARMAFLEX 3/4" ID X 3/4" OD X 6'	1
ONE FOOT OF MESH SAND CLOTH	1
AQUA GUARD CLIP-ON FLOAT SAFETY SWITCH	1
SAFE-T-SWITCH CONDENSATE OVERFLOW CONTROL	1

**FRKIT**

**TOTAL 190.00**

SHOP.ACSUPPLYTEXAS.COM